


EXERCISES

HP Prime



Contents

Chapter 1

Optimization: Area of a Triangle HP Prime	6
The „Grazing Goat“ Problem HP Prime	10
Metal Rods and Springs HP Prime	14
Varignon Parallelogram HP Prime	17
Maximum amount of chocolate HP Prime	21
Creating an HP Prime Program	25
Creating an Notation/Notebook	26
Algorithm: BMI Calculator HP Prime	30
Algorithm: „Secret Number“ Game HP Prime	32
Algorithm: Calculate the Greatest Common Divisor (GCD) by Subtraction HP Prime	33
Algorithm: Calculation of the Greatest Common Divisor (GCD) –Euclid’s Algorithm	34
Algorithm: Magic Trick	35
Algorithm: Leap Year	36
Contour Line Method	38
Friday the 13 th	40
Kaprekar’s Constant	42
Algorithm: Birth Limitation	44
Encryption: Caesar Cipher	47
Sicherman Dice	49
Lottery Draw	52
Plotting of a Spiral	53
Random Walk	54
Combination of Cards in Poker	55
Simulation Programmes	56
SIRET Code (equivalent to CRN)	61

Chapter 2

ISBN Code	63
Algorithm: Matchsticks Game	64
Algorithm: Spaghetti Exercise	66
Algorithm: Bouncing Ball	67
Weight: Gravitational Force	68
Sound Waves	70
Humidity	74
Blood Spots	76
Box Plot	80
Bernoulli Schema: Binomial Distribution	82

Chapter 3


The Study of Function	84
Lucas–Lehmer Primality Test	87
Pascal's triangle	88
Sequences and the Sigma Symbol	90
Tangent to the Curve	93
Integral	95
Calculating Area between Two Curves	99
Complex numbers	104
Size of an Angle	105
The Square Root Approximation	106
Chinese Remainder Theorem	109
The Confidence Interval	111
Probability: The Normal (Gaussian) Probability Distribution	113
Random Walk	116
Graduation Task Solution	119



HP Prime Calculator




- **Switch on calculator:** Press On Off .
- **Switch off calculator:** Press Shift and then On Off .
- **To select the „degree“ mode:**
 - Open the configuration window by pressing Shift Settings .
 - Select *Degrees* or *Radians* using F2 (CHOICE).
- **To select the complex number regime:**
 - Use the drop down menu and select enter in algebraic form $a+ib$ or injure using two real numbers (a,b).
- **To access the calculator controls:**
 - All calculator controls are grouped in the list accessible by pressing ▼ .
- **For access to special symbols:**
 - The calculator offers a truly large number of symbols accessible by pressing Shift Vars Chars A .



Optimization: Area of a Triangle

HP Prime



Level: First year of French Lyceum (the 10th year of obligatory schooling in France)

Objective: An introduction to functions, their graphs and written form
The maximum of a function using dynamic geometry.

Keywords: functions, tables, values, showing graphs, maximum.

Problem: Let A be a point located at the vertex opposite the base of an isosceles triangle.
Point C lies on a circle centered at A whose radius is $[AB]$. Find the location of C that will maximize the area of the triangle ABC.


Step-by-step solution:

The HP Prime Calculator is used to graph geometry problems and make use of the dynamic possibilities of the „Geometry“ application by pressing **I**.

For access to sketches, press **Plot** .

The individual menus of the „Geometry“ application allow the construction of triangles and circles. The point C will be placed as an active point.

Screenshots:




The placement of individual geometric objects on the display may be confirmed by pressing .

Access to individual geometric elements which have been drawn and their titles may be had by pressing **Y**.

The area of the triangle and the length of its base may be calculated by pressing .

We make use of the command buttons labelled *area*.

We will shift the position of the point C and for each location of C, record the resulting area.




In this way, we may obtain a number of value pairs (base; area), which may be stored in a table. Select the application „Statistics 2Var“ by pressing $\left[\sqrt{x^2} \right]$.

Each pair of values (base; area) is entered into the table (by pressing $\left[\text{Menu} \right] \left[\text{Paste} \right]$).

By pressing $\left[\text{Plot} \right] \left[\text{Setup} \right]$, we obtain the corresponding point graph which shows that the points describe a curve with an extremum, here a maximum.

The graph reveals that the area should be at a maximum when the length of the base is equal to 10.8.

An analytical solution may also be chosen to discover the algebraic form of the function which expresses the area of the triangle in dependence upon the length of the base $|BC| = x$. The height AH must be expressed as a function of x .



Geometry Numeric View 16:27
 $\text{area(GG)} : -80.07600587$
 $\text{distance(GE,GB)} : 17.6793179142$

Edit ✓ New ↓ Delete

Application Library 16:28

Function	Advanced Graphing	Geometry	Spreadsheet
Statistics 1Var	Statistics 2Var	Inference	DataStreamer
Solve	Linear Solver	Quadratic Explorer	Trig Explorer

Save Reset Sort Send Start

Statistics 2Var Numeric View 16:32

	C1	C2	C3	C4
1	2.76	10.9		
2	5.3	20.09		
3	7.74	27.3		
4	10.09	31.61		
5	10.64	32.11		
6	13.84	28.37		
7	14.75	23.37		
8				
9				
10				

Enter value or expression
 Edit Ins Size Make Stats


The Pythagorean theorem for the right triangle AHC is:


$$|AH| = \sqrt{8^2 - \frac{x^2}{4}}$$




The area of the triangle ABC, then, is given by the formula

$$\frac{x \cdot \sqrt{64 - \frac{x^2}{4}}}{2}$$

We enter this expression in the HP Prime Application: „Function“ and press Y .


By pressing , we obtain the graph of the expression.

Using the  > Extremum you get to the curve's maximum point.



The „Grazing Goat“ Problem

HP Prime



Level: First year of French Lyceum (the 10th year of obligatory schooling in France)

Exercise: A shepherd has a square-shaped pasture with a 10 m circumference. He ties the goat to a line anchored to a post located at the midpoint of one side of the square. He wishes to have the goat graze an area equal to one half of the area of the pasture.

How long must the line be to which the goat is tied?


Step-by-step solution:

The HP Prime Calculator is equipped with a “Geometry” application which enables the situation to be illustrated graphically.

Press $\sqrt{x^2}$ and select the „Geometry” icon.




Construct the square using the **Polygon** > Special > Square menu

Screenshots:



Place the centre of the circle at the midpoint of the upper boundary of the square to delineate the area grazed by the goat. Use the „Midpoint” tool in the Point menu. Then select „ Circle” in the „Curve” menu and draw the requisite circle. Then position an active point on the inner semi-circle of the square and designate the radius starting from that point, which symbolizes the rope to which the goat is tied.

Subsequently, you can either increase or decrease the circle radius (and thereby the length of the line).



If the length of the line is shorter than the side of the square pasture, the surface the goat can graze equals a semi-circle whose radius is given by the length of the rope.

If the length of the line is longer than the side of the square, the area consists of a rectangle and a circular segment.

To determine the width of the rectangle, use the algebraic form of the Pythagorean theorem for the right triangle in the opposite screenshot: $x^2 = 5^2 + \text{width}^2$

Width of the rectangle = $\sqrt{x^2 - 25}$

To calculate the area under the arc, we deduct the area of the red triangle from the area of the sector:

$$\frac{\alpha}{360} \pi x^2 - \frac{10\sqrt{25 - x^2}}{2}.$$

is the angle of the centre, which is calculated using the goniometric function $2 \cdot \arcsin(5/x)$.

Subsequently, we can write a program to calculate the area of the pasture the goat grazes as a function of line length:

EXPORT KOZA()

BEGIN

LOCAL L;

//We require the length of the line

INPUT(L);

//we process both cases of the surface area

IF L<=5 THEN

PRINT($\pi * L^2 / 2$);

ELSE



PRINT($\sqrt{(L * L - 25)} * 10 + 2 * \text{ASIN}(5/L) / 360 * \pi * L^2 - 5 * \sqrt{(L * L - 25)}$);

END;

END;

Make sure you set the unit of angular measure to degrees.

Button:  



```

Geometry 13:13
EXPORT Geometry()
BEGIN
LOCAL L;
// Require a length of rope
INPUT(L);
// We process both cases of surface
IF L<=5 THEN
PRINT( $\pi * L^2 / 2$ );
ELSE
PRINT( $\sqrt{(L * L - 25)} * 10 + 2 * \text{ASIN}(5/L) / 360 * \pi * L^2 - 5 * \sqrt{(L * L - 25)}$ );
END;
END;

```

After entering the data into the program, the result shows that a 50 m^2 area = $100 \text{ m}^2 \div 2$ would have a line length of approximately 5.8 m.

Home Settings 13:21

Angle Measure: Degrees

Number Format: Standard

Entry: Textbook

Integers: Hex 32 ±

Complex: $a+b*i$

Language: English


Decimal Mark: Dot (.)

Choose angle measure

Choose Page 1/3

Metal Rods and Springs

HP Prime



Problem:

Rigid metal rods AC of 4 cm, BD of 7 cm and CD of 18 cm are placed so that the CD rod is horizontal and the AC and BD rods are perpendicular to it.

An active point M is located on the rod CD. The point M is connected to point A using a spring and to point B by another spring.

Determine the position of point M that minimizes the sum of the spring lengths.


Step-by-step solution:

The HP Prime Calculator is equipped with a „Geometry“ application which enables the situation to be illustrated.

Press $\sqrt{x^2}$ and select the „Geometry“ icon.

The configuration indicated above may be illustrated by selecting „Segment“, enabling the point M to move along the horizontal section. The line sections designate both springs.

Screenshots:






If we move the point M, the spring will dynamically follow.

By pressing **Y**, we obtain access to all geometric objects.

The **Menu Paste** button initiates calculations for the various objects.



This may be used to calculate the lengths via the *distance* button. In our case, the distance (GH,GJ) is calculated as the distance between the points GH and GJ, i.e., the distance corresponding to the length of the first spring. The second distance calculation corresponds to the length of the second spring.




Move point M from the graphic window (button ) and return to the number menu (button ) to determine the change in the lengths.

Let there be a rod [CD] of constant length of 18 cm, vertical rod [AC] of 4 cm and a vertical rod [BD] of constant length of 7 cm and let the length CM be the x variable. Using the algebraic expression of the Pythagorean theorem you get:

$$AM = \sqrt{16 + x^2} \text{ and } BM = \sqrt{(18 - x)^2 + 49}$$


The sum of both spring lengths can be entered like this in the „Function“ application in the HP Prime calculator (by pressing  then „Function“, then ).

By pressing , you get the graph and minimum value for the length of both springs for $x \approx 6,5$. Then you get the position of point M to achieve the minimum total spring length: M must be $\approx 6,5$ cm from point C.



Varignon Parallelogram

HP Prime




- 1/ Make a hypothesis about the type of quadrilateral with vertices at the midpoints of the four sides of any quadrilateral.
- 2/ Prove the hypothesis.
- 3/ Designate the type of quadrilateral if the external quadrilateral is a rectangle.

Step-by-step solution:

1/ The dynamic geometry of the HP Prime calculator is accessible using the **I** button.

Draw any quadrilateral using the menu **Polygon** > „Quadrilateral“.

Screenshots:



Position the first vertex of the quadrilateral by touching any point

on the display and confirm it by pressing

Repeat this operation for the other three vertices.




Now position the midpoints using the Point menu > "Midpoint" by pressing both edge points on each side of the quadrilateral. After

each selection of edge point, press

Using the function **Polygon** > Quadrilateral draw an inscribed quadrilateral following the procedure described in the previous case.

Useful trick: The inscribed quadrilateral may be filled with colour by pressing **Z** and selecting „Fill with Color“ and selecting the quadrilateral you have just constructed.

It seems that the inscribed quadrilateral is a parallelogram.



The HP Prime calculator can verify this.

To have it do so, first select the name of the parallelogram by pressing \mathbf{Y} . In this case, the parallelogram is named GQ (name for a geometric object).

Then press $\mathbf{\equiv}$ Menu Paste and select „is_parallelogram „ in the m Cmds > OK .

Enter the name of the quadrilateral in parentheses:

is_parallelogram(GQ)
Cmds Vars Cancel OK

and press OK.

The HP Prime displays the result:

0 if it is not a parallelogram

1 if it is a parallelogram

2 if it is a rhombus

3 if it is a rectangle

4 if it is a square

In this case, HP Prime displays 1: the inscribed quadrilateral is a parallelogram.

Geometry Numeric View 15:44
is_parallelogram(GO) : 1

2/This is easy to prove using the theorem on centres applied to both triangles of the external quadrilateral which are separated by a diagonal.

$$\overrightarrow{MN} = \frac{1}{2}\overrightarrow{AC} \text{ et } \overrightarrow{PO} = \frac{1}{2}\overrightarrow{AC} \text{ donc } \overrightarrow{MN} = \overrightarrow{PO}$$

This means the quadrilateral MNOP is a parallelogram.

Geometry Symbolic View 15:27

- ✓ GH:=segment(GB,GC)
- ✓ GI:=segment(GC,GD)
- ✓ GJ:=segment(GD,GA)
- ✓ GK:=midpoint(GA,GB)
- ✓ GL:=midpoint(GB,GC)
- ✓ GM:=midpoint(GC,GD)
- ✓ GN:=midpoint(GD,GA)
- ✓ GO:=quadrilateral(GN,GK,GL,GM,('display') = fill)
- ✓ GP:=segment(GN,GK)
- ✓ GQ:=segment(GK,GL)

Edit ✓ New ↑ ↓ Delete

Geometry Numeric View 15:44


undef : undef

- 5 is_element
- 6 is_equilateral
- 7 is_isosceles
- 8 is_orthogonal
- 9 is_parallel
- 10 is_parallelogram
- 11 is_perpendicular
- 12 is_rectangle
- 13 is_square

Geometry Commands

- 1 Measure >
- 2 Test >

Cmds Vars Cancel OK



3/ Let us require the external quadrilateral be a rectangle. To do so, enter the coordinates of all four starting points using the

Edit menu:


Geometry Symbolic View 15:48

✓ GA:=point(-4,2)
 ✓ GB:=point(4,2)
 ✓ GC:=point(4,2)
 ✓ GD:=point(4,-3)
 ✓ GE:=quadrilateral(GA,GB,GC,GD)
 ✓ GG:=segment(GA,GB)
 ✓ GH:=segment(GB,GC)
 ✓ GI:=segment(GC,GD)
 ✓ GJ:=segment(GD,GA)
 ✓ GK:=midpoint(GA,GB)

point(4,-3]

Cmds x y Cancel OK

The inscribed quadrilateral is thus a rhombus.



Zoom Point Line Polygon Curve Transfor


Geometry Numeric View 15:58

is_parallelogram(GO) : 2

Edit ✓ New Delete

Maximum amount of chocolate

HP Prime



A supermarket purchases boxes of chocolates for a unit price of € 5 from a chocolate factory for Christmas. The supermarket sells one box for €13.6.

Last year, 3000 boxes were sold during the same period of time. Market research shows that each 10 euro-cent reduction in price results in increased sales of 100 boxes of chocolates per week. Help the supermarket to determine the price per box to attain a maximum profit.

You can hand out work sheets indicated on page 24 to your students.

Step-by-step solution:

1/ Access to the „Spreadsheet“ of the HP Prime calculator is via I.

Create a table of values with automated formulas using a €0.00 discount of the sales price followed by stepwise €0.10 discounts. First fill in the individual column headers by entering the following names in the cells: DISCOUNT, PRICE, BOXES, SALES a PROFIT.




To do so, go to A in the first column and enter DISCOUNT using the following alphabetical characters:

AqAcAdAtAF

and press **Name** in the menu.

Carry out this operation for all columns.

Screenshots:



To enter the discount values, go to DISCOUNT and enter the following formula:



The entire column will be filled in with an arithmetic sequence with a constant difference of 0.1 between its members.

Now enter the price formula by going to PRICE and entering:



To enter the boxes, go to BOXES and enter the formula indicated in the image on the right.

For boxes go to SALES and enter the formula indicated in the image on the right.

For boxes go to PROFIT and enter the formula indicated in the image on the right.

Thus you obtain referential links to the names of columns in formulas.


All resulting calculations will now be automatically displayed. In the table, we will work top-down in order to observe the evolution of profits.

We discover that the maximum profit is obtained when we sell one box for €10.80.

PRICE: =13.6-DISCOUNT



BOXES: =3000+DISCOUNT*1000



SALES: =PRICE*BOXES




PROFIT: =SALES-5*BOXES



Spreadsheet 09:43					
COUNT	PRICE	BOXES	SALES	PROFIT	
22	11.5	5100	58650	33150	
23	11.4	5200	59280	33280	
24	11.3	5300	59890	33390	
25	11.2	5400	60480	33480	
26	11.1	5500	61050	33550	
27	11	5600	61600	33600	
28	10.9	5700	62130	33630	
29	10.8	5800	62640	33640	
30	10.7	5900	63130	33630	
31	10.6	6000	63600	33600	



26	11	5600	61600	33600	
27	10.9	5700	62130	33630	
28	10.8	5800	62640	33640	
29	10.7	5900	63130	33630	
30	10.6	6000	63600	33600	
31	10.5	6100	64050	33550	




Useful trick: If you wish to colour certain cells, place the cursor on them, press **Format** > Color and select the colour from the menu.

Now you can test using a function. If x stands for the sales price per single box, profit is expressed as follows:


$$(x - 5) * (3000 + (13.6 - x) * 1000)$$

Enter the expression in the „Function“ application (I) in the symbolic depiction window (Y):



Use **Plot** to get the graph of the function. Its extremum (here a maximum) may be obtained by pressing **Fcn** > Extremum. It will be confirmed, once again, that the maximum profit of €33,640.00 can be obtained if the boxes with chocolates are to be sold at a unit price of €10.80.

Useful trick: you can press **IFTE** to apply the SI (IF) condition located in the table processor. This command button is used as follows: IFTE (if, then, otherwise), see the problem indicated on the right.



Spreadsheet

	A	B	C	D	E
1	0	0	0	0	0
2	5	no	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0

=IFTE(A5>4,"yes","no")

Edit Format Go To Select Go ↓ Show

Chocolates: Student Worksheet

HP Prime

Calculate the supermarket's purchase price and weekly profit for 3000 boxes of chocolates sold at a unit price of €13.60:


Calculate the profit made if the price per box of chocolates is reduced by €0.10.

Fill in the table:

Number of discounts	Price (€)	Boxes (€)	Sales (€)	Profit (€)
0	13.60	3000		
1	13.50	3100		
2				
3				
4				

Create a table using the table processor, activate it and fill it in to determine the maximum attainable profit.

Creating an HP Prime Program



To integrate and process algorithms using the HP Prime calculator use a program editor.


Step-by-step solution:

Access to the program editor of the HP Prime calculator is via



. A list of programs saved in the calculator will be displayed. To create a new program press *New*.


Enter the name of the program.



The program should be written between the BEGIN and END commands.

Screenshots:

Program Catalog		10:54
Function (App)		0KB
MDR		<1KB
ProbaSim		<1KB
ENIGME		<1KB
KEY		<1KB
TIC_TAC_TOE		7KB
RATS		1KB
cp		<1KB
STDET		2KB
<div> Edit New More Send Debug Run </div>		



Creating an Notation/Notebook

HP Prime



Entering text is not a program and therefore cannot be run. Only text may be formatted and saved in the HP Prime calculator's memory.


Step-by-step solution:

You can access the HP Prime text (note) editor by pressing

Shift **Num** **Left Setup**. Press **New** to create a new program.



The text may be formatted using the Style and Format tabs.

The text may be formatted with bold, italics, underlined, crossed, colour (foreground colour) and highlighted (background colour). To do so, select the colour of your choice from the corresponding palette.




To browse the list you can use indents.

Screenshots:



Basic Algorithms and Loops on the HP Prime



Level: First year of French Lyceum (the 10th year of obligatory schooling in France)

Objectives: Algorithms have been included in the mathematics syllabus for secondary schools.

Algorithms start to be taught in the first to second year of secondary schools which corresponds to the first year of the French secondary school system or the 10th year of the French obligatory schooling system.

Here is a selection of algorithms taught at French secondary schools:

Step-by-step solution:

Problem 1: the first/basic algorithm

Write an algorithm requiring you to enter a number x and displaying a transcription of function $f(x) = x^2 + 6x - 4$.

Algorithm

Enter

Ask the user to transcribe function

Processing


Save the function transcription $x^2 + 6x - 4$ in the y variable

Output

Display y

Screenshots:

Make a note in HP Prime:



```
EXPORT ALGO1()  
BEGIN  
INPUT(X);  
X^2+6*X-4>Y;  
PRINT(Y);  
END;
```

Second problem: the „For“ loop:

Write an algorithm requiring you to enter the initial values of n which calculates the factorial of this number.

Algorithm

Enter

Request the user to provide the initial number

Initialization

Enter 1 in the P variable

Processing

For i in the interval 1 to n

Save

$P \leftarrow P \cdot i$

End of for i loop

Output

Display p

Third problem: „Until“ loop:

Find the largest integer p such that the sum of integers 1 to p is lower than the given integer n .

Use formula (1 ES / S):

$$\sum_{k=1}^p k = \frac{p(p+1)}{2}$$

Algorithm

Enter

Request the user to provide a number n

Initialization

Enter 1 in the P variable

Processing

Until $P \cdot (P+1) / 2$ is lower than n

Save $P+1$ in P

End of Until loop

Output

Display

Write in HP Prime

```
ALGO2
EXPORT ALGO2()
BEGIN
  1→P;
  FOR I FROM 1 TO N DO
    P*I→P;
  END;
  PRINT(P);
END;
```


Write in HP Prime

```
ALGO3
EXPORT ALGO3()
BEGIN
  INPUT(N);
  1→P;
  WHILE P*(P+1)/2<=N DO
    P+1→P;
  END;
  PRINT(P);
END;
```

Cmde Tmplt Vérif

Algorithm: Heron's Formula

HP Prime



Heron's formula allows to calculate the area of the triangle:

$$A = \sqrt{p(p-a)(p-b)(p-c)}$$

where p is half of the triangle's circumference.

Program an algorithm to calculate the area of a triangle using Heron's formula.


Step-by-step solution:

Using the editor (press **Shift** **x**), we will create the HERON program and write the following algorithm:

```
EXPORT HERON()
BEGIN
LOCAL A,B,C,P;
//The user is requested to enter the side lengths for all sides of
the triangle
INPUT(A);
INPUT(B);
INPUT(C);
// Calculate half the perimeter of the triangle(A+B+C)/2 ► P;
//Calculate the area of the triangle using Heron's formula
PRINT(√(P*(P-A)*(P-B)*(P-C)));
END;
```

For the values $a = 2$, $b = 7$ and $c = 8$, the program displays:


Screenshots:



```
HERON 12:02
EXPORT HERON()
BEGIN
LOCAL A,B,C,P;
//The user is asked to enter the lengths
INPUT(A);
INPUT(B);
INPUT(C);
//Calculate the half perimeter of a tria
(A+B+C)/2 ► P;
//Calculate the area of the triangle usi
PRINT(√(P*(P-A)*(P-B)*(P-C)));
END;
Cmds Tmpl Page Check
6.43719659479
```


Algorithm: BMI Calculator

HP Prime



BMI (Body Mass Index) is an indicator used to assess the health or lack of health of one's weight (obesity). BMI primarily enables the assessment of overweight or obesity. Calculation of the BMI provides only basic information, because the calculation does not take into account bone weight or muscle weight.

BMI is calculated using the formula:

$$\frac{P}{T^2}$$

Let P be the body weight in kilograms and T the height in meters.

The World Health Organization (WHO) has developed the following category system:

WHO Classification	BMI value
Underweight	< 18.5
Normal weight	18.5 – 24.9
Overweight	25 – 29.9
Moderate obesity (Class I)	30 – 34.9
Grave obesity (Class II)	35 – 39.9
Morbid obesity (Class III)	≥ 40


Create an algorithm to calculate the BMI and classify the result using the WHO classification.

Step-by-step solution:

Using the editor, we will create the BMI program and write the following algorithm:

```
EXPORT BMI()
BEGIN
LOCAL P,T,I;
//The user is requested to enter his weight and height IN-
PUT(P,"Your weight in kg:");
INPUT(T,"Your height in m:");
// Calculate BMI
P/T2►I;
//Calculate classification
IF I<18.5 THEN PRINT(„BMI="+I+" underweight");
END;
IF I≥18.5 AND 24.9≥I THEN PRINT(„BMI="+I+" normal weight");
END;
IF I≥25 AND 29.9≥I THEN PRINT(„BMI="+I+" overweight");
END;
IF I≥30 AND 34.9≥I THEN PRINT(„BMI="+I+" moderate obesity
(Class I)");
END;
IF I≥35 AND 39.9≥I THEN PRINT(„BMI="+I+" serious obesity (Class
II)");
END;
IF I≥40 THEN PRINT(„BMI="+I+" morbid obesity (Class III)");
END;
END;
```


Screenshots:



```
EXPORT BMI()
BEGIN
LOCAL P,T,I;
//The user is asked to enter his body we
INPUT(P,"Your weight in kg:");
INPUT(T,"Your height in m:");
//We will calculate BMI
P/T2►I;
//Perform classification
IF I<18.5 THEN PRINT("BMI="+I+" underwei
IF I≥18.5 AND 24.9≥I THEN PRINT("BMI="+I
IF I≥25 AND 29.9≥I THEN PRINT("BMI="+I+"
IF I≥30 AND 34.9≥I THEN PRINT("BMI="+I+"
BMI=25.390625 overweight
```

Algorithm: „Secret Number“ Game

HP Prime



Program an algorithm which requires the user to find a random whole number in the interval between 1 and 100, with each test specifying whether the number entered is higher or lower than the secret number.

?

Step-by-step solution:

Using the editor, we will create the MYSTERE (SECRET) program and write the following algorithm:

```
EXPORT MYSTERE()
BEGIN
LOCAL M,N;
//Choose a random whole number between 1 and 100
1+FLOOR(100*RANDOM) ► N;
//The user is requested to enter a number
INPUT(M);
//The user is continually requested to enter a new number until
the number corresponds to the secret number, with information
provided as to whether the number entered is higher or lower
than the secret number
WHILE M<>N DO
IF M>N THEN
MSGBOX(„Lower“);
ELSE
MSGBOX(„Higher“);
END;
INPUT(M);
END;
MSGBOX(„Secret number found! „);
END;
```

The *MSGBOX* button is similar to the *PRINT* but except that it shows the text in a dialog window rather than an output window.

Screenshots:

Program Catalog		13:39
ALGO		0KB
ALGO1		<1KB
ALGO2		<1KB
ALGO3		<1KB
BMI	Is lower	1KB
Function (App)		0KB
HERON		1KB
MYSTERE		1KB




Program Catalog		13:41
ALGO		0KB
ALGO1		<1KB
ALGO2		<1KB
ALGO3		<1KB
BMI	Secret number was found!	1KB
Function (App)		0KB
HERON		1KB
MYSTERE		1KB



Algorithm: Calculate the Greatest Common Divisor (GCD) by Subtraction

HP Prime



Program an algorithm which will show the individual steps in calculating the greatest common divisor (GCD) using the subtraction method.

Step-by-step solution:

Using the editor, we will create the SOUST (SUBTRACTION) program and write the following algorithm:


```
EXPORT SOUST()
BEGIN
LOCAL A,B,C;
//The user is requested to enter two positive integers from which
to calculate the GCD
INPUT(A);
INPUT(B);
PRINT(A+" ; "+B);
//Take the smaller of the selected numbers and the difference
between the larger and smaller number
MIN(A,B) ► C;
MAX(A,B)-MIN(A,B) ► B;
C ► A;
PRINT(A+" ; "+B);
//Take the smaller number once again and the difference between
the numbers until you get an equal value
WHILE A<>B DO
MIN(A,B) ► C;
MAX(A,B)-MIN(A,B)-MIN(A,B) ► B;
C ► A;
PRINT(A+" ; "+B);
END;
//Display the GCD value
PRINT (C);
END;
```

Screenshots:

```
21 ; 57
21 ; 36
21 ; 15
15 ; 6
6 ; 9
6 ; 3
3 ; 3
3
```

Algorithm: Calculation of the Greatest Common Divisor (GCD) –Euclid’s Algorithm

HP Prime



Program an algorithm which will show the individual steps in calculating the greatest common divisor (GCD) using Euclid's algorithm.

Step-by-step solution:

Use the editor (press **Shift** **⌘**) to create the program EUC and enter the following algorithm:


```
EXPORT EUC()
BEGIN
LOCAL A,B,C;
//The user is requested to enter two positive integers for which he
wishes to calculate the greatest common divisor (GCD)
INPUT(A);
INPUT(B);
PRINT(A+" ; "+B);
//Take the smaller number of the two numbers entered and the
remainder from dividing the greater number by the smaller
MIN(A,B) ► C;
irem(MAX(A,B),MIN(A,B)) ► B;
C ► A;
PRINT(A+" ; "+B);
//Take the smaller number and the remainder once again until it is
not equal to zero
WHILE B<>0 DO
MIN(A,B) ► C;
irem(MAX(A,B),MIN(A,B)) ► B;
C ► A;
PRINT(A+" ; "+B);
END;
//Display the GCD value
PRINT(C);
END;
```

Screenshots:

```
21 ; 57
21 ; 15
15 ; 6
6 ; 0
6
```

Algorithm: Magic Trick

HP Prime



Program an algorithm which requires the user to find a random whole number in the interval between 1 and 100, with each test. The magician asks a spectator:

- Think of a number.
- Multiply it by two.
- Subtract 3.
- Multiply it by 6.
- Tell me the result.

Create a SPECT (SPECTATOR) program which will display the number the spectator told the magician and a MAGIE (MAGIC) program which will, based upon the result announced, find the number the spectator thought of. It specifies whether the number entered is higher or lower than the secret number.

Step-by-step solution:

Using the editor, we will create the EUC program and write the following algorithm:

```
EXPORT SPECT()
BEGIN
LOCAL N;
//Ask a spectator to enter a number he is thinking of
INPUT(N);
//Carry out the calculations requested by the magician and display
PRINT((2*N-3)*6);
END;
```

```
EXPORT MAGIE()
BEGIN
LOCAL N;
//Enter the number announced by the spectator
INPUT(N);
//Run the calculation program and move stepwise in reverse Display the result which is the number the spectator was thinking of
PRINT(((N/6+3)/2)); END
```


For instance, say the spectator was thinking of 18. After carrying out the requested operations, the spectator announces 198. MAGIE will look up 18 for the input number of 198.

Screenshots:

198
18

Algorithm: Leap Year

HP Prime



Leap years are those years which are:

- either divisible by 4 but not divisible by 100,
- or divisible by 400.

Write a program which will determine whether a particular year is a leap year.

Step-by-step solution:

Using the editor (press **Shift** **⌵** **✕** **⌵**), we will create the EUC program (press **Shift** **⌵** **✕** **⌵**), and write the following algorithm:

```
EXPORT BISS()
BEGIN
LOCAL N;
//The user is requested to enter a year
INPUT(N);
//Check the conditions for leap years
IF (irem(N,4)==0 AND irem(N,100)<>0) OR irem(N,400)==0
THEN
PRINT(N+" this is a leap year" );
ELSE
PRINT(N+" this is not a leap year");
END;
END
```

To be able to use the „Which day of the year were you born on?“ algorithm, enter the input directly in the name of the program and the output will be replaced by 1 for leap years or 0 for non-leap years:

```
EXPORT BISS(N)
BEGIN
IF (irem(N,4)==0 AND irem(N,100)<>100) OR irem(N,400)==0
THEN
RETURN(1);
ELSE
RETURN(0);
```

Screenshots:


1900 is not a leap year.
2016 is a leap year.

BISS(1984)	1
BISS(2007)	0

Sto ►

Algorithm: Which Day of the Year Were You Born on?

HP Prime



This method allows you to determine the day of the week for a particular date in the interval between 1900 and 2099:

- A number code 033 614 625 035 (January = 0, February = 3, etc.) will be assigned to each month of the year.
- Add: the number created by the two last numbers of the year in which the person was born, a quarter of this number (rounded down if it is not an integer), date of the day of birth (i.e., an integer between 1 and 31) and the month code.
- If the date of birth occurred after 2000 subtract 1 from the result.
- If it is a leap year and the date of birth is before March 1, subtract 1 from the result.
- Divide by 7 and the quotient determines the day of the week (0 = Sunday, 1 Monday, etc.).

Write a program whose result will be the day of the week on which you were born.

Step-by-step solution:

Using the editor, we will create the JOUR (DAY) program and write the following algorithm:


```
EXPORT JOUR()
BEGIN
LOCAL A,M,J,N,P,L1,L2;
//The user is request to enter his date of birth
//The user is requested to enter the year
INPUT(A,"Year?");
//The user is requested to enter the month
INPUT(M,"Month (from 1 to 12)?");
//The user is requested to enter the day
INPUT(J,"Day (from 1 to 31)");
//create a list containing the codes of months in the year
[0,3,3,6,1,4,6,2,5,0,3,5]►L1;
//If the year of birth is after 2000 subtract 1
0►P;
IF A>2000 THEN P-1►P; END;
//If it is a leap year and a month before March, subtract 1
IF BISS(A)==1 AND M<3 THEN P-1►P; END;
//Remove last two digits in the year
irem(A,100)►A;
//Carry out the calculation described in the assignment information
A+FLOOR(A/4)+J+L1(M)+P►N;
//To determine the day of the week, divide by 7
[„Sunday“,„Monday“,„Tuesday“,„Wednesday“,„Thursday“,„Friday“,„Saturday“]►L2;
irem(N,7)►N;
PRINT(„You were born on „L2(N+1)); END;
```

Screenshots:

You were born on Sunday

Contour Line Method

HP Prime



Level: First year of French Lyceum (the 10th year of obligatory schooling in France)

Exercise: In the Cartesian coordinate system, locate all points for whose coordinates (x, y) the following is true
 $x * (6 - x) < y * (8 + y)$.

Step-by-step solution:



The HP Prime programs include the „Advanced Graphing“ application which is so powerful that no programming is necessary for this exercise.


Press **I** and go to „Advanced Graphing“.

Next to V1 enter the inequality for the exercise:




Screenshots:



By pressing **Shift** **Plot**  you set the axis scale: set the X coordinates between -10 and 10 and Y coordinates between -10 and 10.


Press **Plot**  to display the graph.

The HP Prime displays a graph with the corresponding points.



Friday the 13th

HP Prime



Level: First year of French Lyceum (the 10th year of obligatory schooling in France)

Exercise: Demonstrate that there is at least one Friday the 13th every year.

Programming themes: loops, conditions, use of lists.

Step-by-step solution:

Create three lists: one list for all the days in the week (Monday, Tuesday, etc.), one for all the months in the year and one list for the number of days in the month.

Then let's take January 13 as the basis. Depending upon whether the date falls on Monday, Tuesday, Wednesday, Thursday, Friday, Saturday or Sunday, look whether there is a Friday the 13th. You do so by gradually checking all the subsequent months.

To display the result, add the number of days in a month to the input day and calculate the remainder of this sum using Euclid's algorithm (Euclidean division by 7). If the remainder after the division is 5, it means Friday (Friday is the 5th day in the week).

Screenshots:

Subsequently, create the following program in HP Prime:

```
EXPORT V13()
BEGIN
LOCAL L1,L2,L3,I,J,M;
PRINT;
L1:={"Monday","Tuesday","Wednesday","Thursday","Friday","Saturday","Sunday"};
L2:={"January","February","March","April","May","June","July","August","September","October","November","December"};
L3:={31,28,31,30,31,30,31,31,30,31,30,31};
FOR I FROM 1 TO 7 DO
PRINT("If it is 13 January „+L1(I)+“:");
1 ► M;
I ► J;

WHILE irem(J,7)≠5 AND M<12 DO
J+L3(M) ► J;
M+1 ► M;
END;
IF irem(J,7)==5 THEN
PRINT("13. „+L2(M)+“ it is Friday 13th");
ELSE
PRINT("„does not include Friday 13th");
END;
END;
END;
END;
```

The result of this program shows that regardless of what day in the week the 13th January falls upon, a Friday the 13th will always follow.

Advanced Graphing Plot Setup15:09

X Rng: -1010

Y Rng: -1010

X Tick: 1

Y Tick: 1

Enter maximum vertical value

EditPage ½

V1315:24

I ► M;

I ► J;

WHILE irem(J,7)≠5 AND M<12 DO

J+L3(M) ► J;

M+1 ► M;

END;

IF irem(J,7)==5 THEN

PRINT("13. "+L2(M)+" is Friday 13th.")

ELSE

PRINT("does not include Friday 13th.")

END;

END;

Cmds

Templt

Page

Check

If January 13th is a Monday:
13. June is Friday 13th.

If January 13th is a Tuesday:
13. February is Friday 13th.

If January 13th is a Wednesday:
13. August is Friday 13th.

If January 13th is a Thursday:
13. May is Friday 13th.


If January 13th is a Friday:
13. January is Friday 13th.

If January 13th is a Saturday:
13. April is Friday 13th.

If January 13th is a Sunday:
13. September is Friday 13th.

Kaprekar's Constant

HP Prime



Kaprekar's Constant is a number whose square root may be divided into a left and right side (with a value not equal to 0) whose sum equals the initial number.

Example: $4879^2 = 23804641$ a $238 + 04641 = 4879$.

Create an algorithm which determines whether a particular number qualifies as Kaprekar's Constant.

Programming themes: loops, conditions, use of lists.

Step-by-step solution:

First extract the root of each digit of the square root of the number selected. Save each number in a list. To extract the root of individual numbers use Euclid's algorithm and carry out gradual Euclidian division by 10, taking each remainder from the division. The REVERSE command button (allowing you to reverse the list to display the numbers as they are written from left to right in the final square root of the selected number).


To create the list, all combinations of left and right sides must be tested. To obtain all the combinations, both For loops will overlap. Note the numbers obtained for each side by using multiplication by 10. After both sides are created, carry out an equality test. If Kaprekar's equality has been proven (the sum of both sides equals the initial number), the display will show the number is an example of Kaprekar's Constant (potentially providing a detailed decomposition). If the equality is not proven, no information is displayed.

Screenshots:

We enter the following in the HP Prime:

```
EXPORT KAPREKAR()
BEGIN
INPUT(N);
N►Z;
L1:={};
N*N►N;
WHILE N≠0 DO
CONCAT(L1,{irem(N,10)})►L1;
iquo(N,10)►N;
END;
REVERSE(L1)►L1;
FOR I FROM 1 TO SIZE(L1)-1 DO
0►G;
0►D;
FOR J FROM 1 TO I DO
G*10+L1(J)►G;
END;
FOR J FROM I+1 TO SIZE(L1) DO
D*10+L1(J)►D;
END;
IF G+D==Z THEN
PRINT(Z+" est un nombre est de Kaprekar.");
PRINT(Z+"²="+Z*Z+" et „+Z+“="+G+"+"+D);
END;
END;
END;
```

The program may be tested, e.g., using 703, which meets the requirements for Kaprekar's Constant.




```
KAPREKAR 15:45
EXPORT KAPREKAR()
BEGIN
INPUT(N);
N►Z;
L1:={};
N*N►N;
WHILE N≠0 DO
  CONCAT(L1,{irem(N,10)})►L1;
  iquo(N,10)►N;
END;
REVERSE(L1)►L1;
FOR I FROM 1 TO SIZE(L1)-1 DO
  0►G;
  0►D;
  FOR J FROM 1 TO I DO
    G*10+L1(J)►G;
  END;
  FOR J FROM I+1 TO SIZE(L1) DO
    D*10+L1(J)►D;
  END;
  IF G+D==Z THEN
    PRINT(Z+" is a number of Kaprekar.")
    PRINT(Z+"²="+Z*Z+" and "+Z+"="+G+"+"+D);
  END;
END;
END;
```

703 is a number of Kaprekar.
703²=494209 and 703=494+209

Algorithm: Birth Limitation

HP Prime



Level: The first year of French Lyceum (the 10th year of obligatory schooling in France)

Objectives: Verifying the hypothesis, writing and the use of an algorithm.

Keywords: Probability, algorithm, iteration, while loop.

Task: A certain country restricts the number of births of girls so that:

- Each family can have a maximum of 4 children.
- After the birth of a boy the family must not have more children.

What is the impact of this policy on fertility of the local population?

Step-by-step solution:

We perform a simulation using the following algorithm, which indicates the frequency of the occurrence of a boy:

Variables:

- N: Number of families
- G: Total number of boys
- F: Number of girls in the same family
- E: Number of children in the same family
- T: Total number of births

Processing:

- Insert N
- Initialise G at 0
- Initialise T at 0
- For I, which varies from 1 to N
- Initialise E at 0
- Initialise F at 0
- While E<4 do
- Select a random integer S between 1 and 2
- E will have a value E+1
- T will have a value T+1
- If S=1
- Then G will have a value G+1
- In the opposite case F will have a value F+1
- End If
- End While
- End For

Output:

- Print G/T
- End

Screenshots:

```

NAISSANCES 19:31
EXPORT NAISSANCES()
BEGIN
INPUT(N);
0►G;
0►T;
FOR I FROM 1 TO N DO
0►E;
WHILE E<4 DO
ROUND(1+RANDOM,0)►S;
E+1►E;
T+1►T;
IF S==1 THEN
G+1►G;

```


```

NAISSANCES 19:31
WHILE E<4 DO
ROUND(1+RANDOM,0)►S;
E+1►E;
T+1►T;
IF S==1 THEN
G+1►G;
END;
END;
END;
PRINT(G/T);
END;

```


If we run the algorithm for a large number of families, the frequency of boys is very close to 0.5. This implies that this birth rate policy has probably no effect on the number of boys.

It can be demonstrated that the population policy will not change anything, if we create branching probabilities and calculate the probabilities:



The results can be summarised in the following table:

Number of children N	Number of boys G	Probability
4	0	1/16
4	1	1/16
3	1	1/8
2	1	1/4
1	1	1/2

Input
17:16

N:

Enter value for N

.493

These probabilities can be derived:

$$E(N) = 4 \times 1/16 + 4 \times 1/16 + 3 \times 1/8 + 2 \times 1/4 + 1 \times 1/2 = 15/8$$

$$E(G) = 1 \times 1/16 + 1 \times 1/8 + 1 \times 1/4 + 1 \times 1/2 = 15/16 \text{ and } E(-G)/E(N) = 1/2.$$

By pressing the **W** button we get the exact value in the form of a fractional notation.

The screenshot shows a Casio calculator interface with the title 'Suite' and a time display of 19:33. The display shows the following calculation steps:

$$\frac{4}{16} + \frac{4}{16} + \frac{3}{8} + \frac{2}{4} + \frac{1}{2} = \frac{15}{8}$$


$$\frac{1}{16} + \frac{1}{8} + \frac{1}{4} + \frac{1}{2} = \frac{15}{16}$$

$$\frac{15}{8} + \frac{15}{16} = 1 \frac{1}{2}$$

At the bottom of the screen, there is a row of buttons: 'Sto ►', followed by four empty rectangular buttons, and a final button with a right arrow.

Encryption: Caesar Cipher

HP Prime



The Caesar cipher principle is that each letter is replaced with the letter that is three places further down the alphabet (A is replaced with D, B is replaced with E, C is replaced with F, etc.).

The word SECRET is encrypted as VHFUHW.

1/ Create an algorithm to encode a specific word using the Caesar cipher.

2/ Create an algorithm to decode a specific word that is encrypted using the Caesar cipher.

Alphabet	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
Alphabet code	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	0	1	2
	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C

Step-by-step solution:

The HP Prime Calculator has very useful command buttons that enable the processing and taking out of characters from a character string:

The *LEFT* or the *RIGHT* command button selects groups of characters at the beginning or end of a character string.

The *MID* command button allows you to take out any character from a character string.

By using the *SIZE* command button, it is possible to calculate the number of characters in the character string. Character strings are placed in quotation marks.

The *ASC* command button changes the ASCII code of the character string. This button can be used in order to obtain the position of a certain letter in the alphabet.

CHAR is the opposite command button. It performs direct return of the letter from its ASCII code. These two command buttons are in this case very practical because there is no need to use a list consisting of all the letters of the alphabet in the algorithm.

Screenshots:



```
LEFT("Bonjour",1)           "B"
RIGHT("Bonjour",2)          "ur"
MID("Bonjour",3,1)           "n"
SIZE("Bonjour")              7
```



```
ASC("A")                     {65}
ASC("B")                      {66}
ASC("A")-64                   {1}
ASC("T")-64                   {20}
CHAR(66)                      "B"
CHAR(20+64)                   "T"
```




1/ With these useful command buttons the following algorithm can be performed on the HP Prime calculator:

```
EXPORT CESAR()
BEGIN
//We locally enter the lower case variable n
local n;
LOCAL S,M,K;
""M;
//The user is asked to enter the word that is to be encrypted
INPUT(n,"Insert in quotation marks","The word that is to be encrypted");
SIZE(n)S;
FOR K FROM 1 TO S DO
//Each letter is shifted by three positions and the encrypted word is generated
M+CHAR(ASC(MID(n,K,1))+3)M;
END;
PRINT(M);
END;
```

2/ Now we will decrypt the encrypted word. We proceed in the reverse direction:

```
EXPORT CESAR()
BEGIN
local n;
LOCAL S,M,K;
""M;
//The user is asked to enter the encrypted word
INPUT(n,"Insert in quotation marks","Encrypted word");
SIZE(n)S;
FOR K FROM 1 TO S DO
//This time we shift by 3 letters backwards
M+CHAR(ASC(MID(n,K,1))-3)M;
END;
PRINT(M);
END;
```




VHFUHW

VHFUHW
SECRET

Sicherman Dice

HP Prime



Sicherman Dice are a pair of 6-sided dice: sides of the first dice are numbered 1, 2, 2, 3, 3 and 4; sides of the other dice are numbered 1, 3, 4, 5, 6 and 8. If we roll these 2 dice and add up the results of the sides, not only will we have the same options as in the case of the classic dice (2 to 12), but also the same frequency of occurrence!

Create a programme that rolls Sicherman dice as well as classic dice five hundred times each and compare the frequency of resulting totals using a chart.

Step-by-step solution:

We store the totals of both sides obtained for both types of dice and 500 rolls each (For loop from 1 to 500) into two lists - L3 and L4.

RANDINT (1,6) gives a random integer between 1 and 6.

```
EXPORT SICHERMAN()
BEGIN
LOCAL L1,L2,I;
L1:={1,2,2,3,3,4};
L2:={1,3,4,5,6,8};
L3:={};
L4:={};
FOR I FROM 1 TO 500 DO
CONCAT(L3,{RANDINT(1,6)+RANDINT(1,6)})L3;
CONCAT(L4,{L1(RANDINT(1,6))+L2(RANDINT(1,6))})L4;
END;
END;
```

Screenshots:

```
SICHERMAN 13:28
EXPORT SICHERMAN()
BEGIN
LOCAL L1,L2,I;
L1:={1,2,2,3,3,4};
L2:={1,3,4,5,6,8};
L3:={};
L4:={};
FOR I FROM 1 TO 500 DO
CONCAT(L3,{RANDINT(1,6)+RANDINT(1,6)})
CONCAT(L4,{L1(RANDINT(1,6))+L2(RANDINT(1,6))})
END;
END;
```

Cmds Tmplt Page Check

If you want to statistically use both lists created by the programme, it is necessary to save them into variables D1 and D2.

Then we start the “Statistics 1Var” application, that can be accessed by pressing the **I** button.

The two lists created using the programme will be displayed in the first 2 columns.

We press the **Y** button to select the chart we want to display. We select the graphic representation in the form of a histogram and insert D2 into the H2 field. First, we select D1, which displays the histogram obtained using normal dice.

Advanced Graphing 13:29

L3►D1
{4,10,4,6,8,2,2,11,7,10,10,6,7,3,6,9,8,12,4,3,9,3,7,7}

L4►D2
{9,8,5,6,6,8,3,2,6,7,10,6,5,9,4,10,7,10,6,7,5,7,8,7}

Sto ►

Application Library 17:47

Function Advanced Graphing Geometry Spreadsheet

Statistics 1Var Statistics 2Var Inference DataStreamr

Solve Linear Solver Quadratic Explorer Trig Explorer

Save Reset Sort Send Start

Statistics 1Var Numeric View 17:48

	D1	D2	D3	D4
1	4	9		
2	10	8		
3	4	5		
4	6	6		
5	8	6		
6	2	8		
7	2	3		
8	11	2		
9	7	6		
10	10	7		

4

Edit Ins Size Make Stats

Statistics 1Var Symbolic View 08:53

✓ H1: D1 Freq

Plot1: Histogram

✓ H2: D2 Freq

Plot2: Histogram

H3:

Plot3: Histogram

H4:

Enter independent column

Edit ✓ D Show Eval


We display the histogram by pressing the  button.

Now select H2 and press the \bar{Y} button again.

By pressing the  button we obtain the histogram for rolls with Sicherman dice.


The histogram has the same shape as the histogram of the normal dice.

The higher the number of rolls, the more the Sicherman dice histogram will be close to the histogram obtained by normal dice rolls.



Lottery Draw

HP Prime



Create a programme simulating a lottery draw (5 numbers from 1 to 49, and 1 lucky number from 1 to 10).

Step-by-step solution:

In this case, the problem lies in the fact that we cannot draw a ball which has already been drawn. Therefore, it is necessary to create a list containing all 49 drawn balls. After each draw we will remove the drawn ball from the list using the *remove()* command button.

The use of the HP Prime calculator is very easy, compared with the programming of a lottery draw without restoring it to its original state using a complex spreadsheet processor or compared with what some other brand calculators offer.

The *MAKELIST()* command button makes it easy to create a list of 49 integers from 1 to 49.

Into the HP Prime calculator you just need to write:

```
EXPORT LOTTERY()
BEGIN
MAKELIST(N,N,1,49,1)▶L1;
49▶N;
FOR I FROM 1 TO 5 DO
L1(RANDINT(1,N))▶B;
PRINT(B);
remove(B,L1)▶L1;
N-1▶N;
END;
PRINT("Lucky number: "+RANDINT(1,10));
END;
```

Screenshots:


```
EXPORT LOTO()
BEGIN
MAKELIST(N,N,1,49,1)▶L1;
49▶N;
FOR I FROM 1 TO 5 DO
L1(RANDINT(1,N))▶B;
PRINT(B);
remove(B,L1)▶L1;
N-1▶N;
END;
PRINT("N° chance : "+RANDINT(1,10));
END;
```

Cmds Tmpl Page Check

49
28
20
6
16
N° chance : 6

Plotting of a Spiral

HP Prime



Level: The first year of French Lyceum (the 10th year of obligatory schooling in France)

Task: Plot a spiral generated by plotting half-circles centred alternately at point O and point A.



Step-by-step solution:


We build 20 half-circles starting with a semicircle of radius 5. HP Prime will draw circular arcs using the command button $ARC_P(x,y,R,a1,a2,C)$, where (x, y) are the coordinates of the centre, R is the radius, $a1$ and $a2$ specify the angle defined by the arc and C its colour. If we want to successively change centres of the half-circles from point O to point A, we add to the original x coordinate the remainder of the remaining radii after the Euclidean division by twice the radius. So we will successively add 0 or the radius. Half-circles will display successively with differences of angles between 0 and π and then between π and 2π . Then it can be used in the loop incremented in I values $(I-1)\pi$ and $I\pi$. $RECT_P()$; allows you to view a clear window before displaying. $FREEZE$; stops the screen on the drawing.

```
EXPORT SPIRAL()
BEGIN
RECT_P();
FOR I FROM 1 TO 20 DO
ARC_P(150+irem(5*I,10),120,5*I, $\pi*(I-1)$ , $\pi*I$ ,RGB(255,0,0));
END;
FREEZE;
END;
```

Screenshots:


```
EXPORT SPIRAL()
BEGIN
RECT_P();
FOR I FROM 1 TO 20 DO
ARC_P(150+irem(5*I,10),120,5*I, $\pi*(I-1)$ , $\pi$ 
END;
FREEZE;
END;
```

Cmds Tmplt Check



Random Walk

HP Prime



The flea, that we initially place on an axis with a scale, will carry out 1000 consecutive jumps. Each time it jumps, it will randomly shift forward or backward by a certain unit, without a preferred direction of movement forward or backward. Plot the route the flea will travel.

Step-by-step solution:


We will draw a random number 0 or 1, in order to know whether the flea jumps forward or backward. In a loop, we perform 1 000 jumps and after each stage we display, using the pixel coordinates, whole consecutive numbers from 1, and using the ordinal position of the flea after the jump.

On the same diagram, it is possible to simulate several random walks so that we introduce a loop 1 to 5 (to display 5 curves) and we colour differentiate individual curves using an RGB code that we make dependent on the variable incrementing of the loop.

We write into HP Prime:


```
EXPORT FLEA()
BEGIN
LOCAL I,J,P,X,Y;
RECT_P;
FOR I FROM 1 TO 5 DO
0P;
FOR I FROM 1 TO 1000 DO
IF RANDINT(0,1)==0 THEN
P+1P;
ELSE
P-1P;
END;
I X;
P Y;
PIXON_P(X,100+Y,RGB(255-40*J,40+50*J,215));
END;
END;
FREEZE;
END;
```

Screenshots:



Combination of Cards in Poker

HP Prime



Task: In a poker game, we get combination of 5 cards by random selection from a pack of 32 cards.

Create a programme showing a combination of cards in a poker game.

Step-by-step solution:

We create one list with card values and a second list with card suits (clubs, spades, hearts, diamonds). For this list we can use special characters of the HP Prime calculator. The calculator

offers four card suits (buttons **Shift** and






The HP Prime calculator is equipped with a large number of graphic command buttons. These buttons can be easily used to draw cards (rectangles) and display card values and suits in the two corners as with actual playing cards.

We can write the following programme:

```
EXPORT POKER()
BEGIN
LOCAL I,L1,L2,M,N,H;
RECT_P();
L1:={"1","R","D","V","9","8","7"};
L2:={"♥","♦","♠","♣"};
FOR I FROM 1 TO 5 DO
RECT_P(15+60*(I-1),50,15+60*(I-1)+50,130,RGB(255,235,200));
RANDINT(1,4) H;
IF H<3 THEN
255 N;
ELSE
0 N;
END;
RANDINT(1,7) M;
TEXTOUT_P(L1(M),18+60*(I-1),51,3,RGB(N,0,0));
TEXTOUT_P(L1(M),55+60*(I-1),115,3,RGB(N,0,0));
TEXTOUT_P(L2(H),15+60*(I-1),64,3,RGB(N,0,0));
TEXTOUT_P(L2(H),52+60*(I-1),100,3,RGB(N,0,0));
END;
FREEZE;END;
```

Screenshots:



//Each time you press the ENTER button, the programme will turn the coin and display "HEADS"(PILE) or "TAILS" (FACE).

//The HP Prime calculator is very quick, if you hold the ENTER button for 10 seconds, it will carry out 150 tosses

```
IF C==1 THEN
WHILE ISKEYDOWN(4)<>1 DO
RECT;
ARC_P(155,110,80,0,360,RGB(124,78,41));
IF ISKEYDOWN(30)==1 THEN
R:=1+FLOOR(RANDOM(2));
TEXTOUT_P(L1(R),140,105,3);
I1:=I1+1;
```

//The results are stored in lists, and it is possible to work with these immediately in the Statistics 1Var application, where we can primarily display a bar chart of frequencies


```
D1:=CONCAT(C1,{I1});
TEXTOUT_P("Draw No."+I1,130,200,1);
D2:=CONCAT(C2,{R});
END;
WAIT;
END;
ELSE
```

//Rolling of a 6-sided die is simulated by displaying a square on which a whole, randomly drawn number (between 1 and 6) is written.

```
IF C==3 THEN
WHILE ISKEYDOWN(4)<>1 DO
RECT;
ARC_P(155,110,80,0,360,RGB(124,78,41));
LINE_P(155,30,155,190);
LINE_P(75,110,235,110);
TEXTOUT_P("1",192,55);
TEXTOUT_P("2",195,152);
TEXTOUT_P("3",113,155);
TEXTOUT_P("4",110,55);
IF ISKEYDOWN(30)==1 THEN
R:=1+FLOOR(RANDOM(4));
LINE_P(155,110,L2(R),L3(R),RGB(255,0,0));
I1:=I1+1;
D1:=CONCAT(D1,{I1});
TEXTOUT_P("Draw No."+I1,130,200,1);
D2:=CONCAT(D2,{R});
END;
WAIT;
END;
ELSE
```



Tirage n°150



H1[1...2)

F:2

Menu




Tirage n°7

//The wheels of fortune simulation displays a hand that randomly falls into one of the four quarters of the circle.


```
IF C==2 THEN
WHILE ISKEYDOWN(4)<>1 DO
RECT;
RECT_P(115,70,195,150,2,RGB(255,194,124));
IF ISKEYDOWN(30)==1 THEN
R:=1+FLOOR(RANDOM(6));
TEXTOUT_P(R,153,102,3,RGB(210,0,0));
I1:=I1+1;
D1:=CONCAT(D1,{I1});
TEXTOUT_P("Draw No."+I1,130,200,1);
D2:=CONCAT(D2,{R});
END;
WAIT;
END;
ELSE
```

//For the lottery drum, we draw a lottery drum and a coloured tablet (a random draw - a selection from 5 colours)

```
IF C==4 THEN
WHILE ISKEYDOWN(4)<>1 DO
RECT;
ARC_P(155,110,50,135,405,RGB(0,135,234));
LINE_P(190,75,215,40,RGB(0,135,234));
LINE_P(120,75,95,40,RGB(0,135,234));
IF ISKEYDOWN(30)==1 THEN
R:=1+FLOOR(RANDOM(5));
RECT_P(135,40,170,60,3,L4(R));
I1:=I1+1;
TEXTOUT_P("Draw No."+I1,130,200,1);
D1:=CONCAT(D1,{I1});
D2:=CONCAT(D2,{R});
END;
WAIT;
END;
Else
```




Tirage n°19



Tirage n°31

//The last two simulations “Cards” and “Random numbers” are described in the separate tutorials “Combination of Cards in Poker” and “Lottery Draw”

```
IF C==5 THEN
WHILE ISKEYDOWN(4)<>1 DO
IF ISKEYDOWN(30)==1 THEN
RECT_P();
L1:={"1","R","D","V","9","8","7"};
L2:={"♥","♦","♠","♣"};
FOR I FROM 1 TO 5 DO
RECT_P(15+60*(I-1),50,15+60*(I-1)+50,130,RGB(255,235,200));
RANDINT(1,4) H;
IF H<3 THEN
255 N;
ELSE
0 N;
END;
RANDINT(1,7) M;
TEXTOUT_P(L1(M),18+60*(I-1),51,3,RGB(N,0,0));
TEXTOUT_P(L1(M),55+60*(I-1),115,3,RGB(N,0,0));
TEXTOUT_P(L2(H),15+60*(I-1),64,3,RGB(N,0,0));
TEXTOUT_P(L2(H),52+60*(I-1),100,3,RGB(N,0,0));
END;
END;
WAIT;
END;
ELSE
IF C==6 THEN
WHILE ISKEYDOWN(4)<>1 DO
PRINT;
IF ISKEYDOWN(30)==1 THEN
MAKELIST(N,N,1,49,1) L1;
49 N;
FOR I FROM 1 TO 5 DO
L1(RANDINT(1,N)) B;
PRINT(B);
remove(B,L1) L1;
N-1 N;
END;
PRINT("Lucky number: "+RANDINT(1,10));
END;
WAIT;
END;
END;
END;
END;
END;
END;
END;
END;
```



H1[1...2)

F:3

Menu



5
18
44
29
31
N° chance : 5



Simulation: Student Worksheet


HP Prime

On the HP Prime calculator, perform 100 simulations for each experiment and complete the following table:

Experiment:	Frequency of occurrence of coin sides	Decimal value of the frequency of occurrence of coin sides	Probability of tossing tails
Coins (Heads or Tails)			
Experiment:	The frequency of occurrence of 6	Decimal value of the frequency of occurrence of 6	Probability of rolling 6
Die			
Experiment:	The frequency of occurrence of 3	Decimal value of the frequency of occurrence of 3	Probability of spinning 3
Wheel of fortune			
Experiment:	The frequency of occurrence of yellow	Decimal value of the frequency of occurrence of yellow	Probability of drawing yellow
Lottery drum			
Experiment:	The frequency of occurrence of	Decimal value of the frequency of occurrence	Probability
Cards	Heart:		
Cards	Ace:		
Cards	Ace of Hearts:		
Experiment:	The frequency of occurrence of	Decimal value of the frequency of occurrence	Probability
Random numbers	7:		
Random numbers	1 as a lucky number:		
Random numbers	Two consecutive numbers:		

SIRET Code (equivalent to CRN)

HP Prime



Each company in France has a unique identification number SIRET (Système d'Identification du Répertoire des Etablissements/Register of companies).

The SIRET code consists of 14 digits, the last digit is a check digit. SIRET is formed in the following way:

Each code digit is placed from position 14 to position 1.

The digits in the odd positions are multiplied by 1 and the digits in the even positions by 2.

We add up the digits of each multiplication result.

We add up the results of individual positions.

If the result is a multiple of 10, the SIRET code is valid.

Example: The Ministry of Education SIRET: 11004301500012

14 1	3	12 1	1	10 9	8	7	6	5	4	3	2	1	
N=	N=	M=	M=	Q=	P=	M=	N=	R=	M=	M=	M=	N=	O=
1x2	1x1	0x2	0x1	4x2	3x1	0x2	1x1	5x2	0x1	0x2	0x1	1x2	2x1
2	1	0	0	8	3	0	1	(10) 1+0=1	0	0	0	2	2

$2+1+0+0+8+3+0+1+1+0+0+0+2+2 = 20$, this is a multiple of 10.

Create a control algorithm for the SIRET code.

Step-by-step solution:

The user is asked to enter the SIRET code.

HP Prime is able to process 12-digit numbers at the maximum.

Therefore, the request made by the user must be divided into two: the first 12 digits and then the last two.

The programme with explanatory notes:

```
EXPORT SIRET()
BEGIN
INPUT(M,"The first 12 digits of the SIRET code");
INPUT(N,"The last 2 digits of the SIRET code");
L1:={};
//We store the first 12 digits to a list
FOR I FROM 1 TO 12 DO
irem(M,10) R;
iquo(M,10) M;
CONCAT(L1,{R}) L1;
END;
//We add to them the last two entered digits
CONCAT(L1,{irem(N,10),iquo(N,10)}) L1;
O D;
O E;
```

Screenshots:

```
SIRET 10:16
EXPORT SIRET()
BEGIN
INPUT(M,"The first 12 digits of code SIR
INPUT(N,"The last two digits of code SIR
L1:={};
//Save the first 12 digits to list
FOR I FROM 1 TO 12 DO
irem(M,10) R;
iquo(M,10) M;
CONCAT(L1,{R}) L1;
END;
//We add the last two entered digits
CONCAT(L1,{irem(N,10),iquo(N,10)}) L1;
```

```

//We multiply all the digits in the even positions by 2
FOR I FROM 1 TO 7 DO
L1(2*I)*2 P;

//If the result contains more than one digit, each digit is added
DIM(STRING(P)) L;
IF L>1 THEN
FOR J FROM 1 TO L DO
D+irem(P,10) D;
iquo(P,10) P;
END;
ELSE
E+P E;
END;
END;
END;
0 S;

//We make a sum of digits in the odd positions
FOR I FROM 0 TO 6 DO
S+L1(2*I+1) S;
END;

//We check if the resulting sum is a multiple of 10
IF irem(D+E+S,10)==0 THEN
PRINT("The SIRET code is valid");
ELSE
PRINT("The SIRET code is invalid");
END;
END;

```

We insert the SIRET code (twice: the first 12 digits and then the last 2) and the programme will show whether the SIRET code is valid or invalid.

The top screenshot shows the TI-84 Plus calculator screen with the title 'SIRET' and the time '10:19'. The code being entered is as follows:

```

0►D;
0►E;
//All the digits in the even positions m
FOR I FROM 1 TO 7 DO
  L1(2*I)*2►P;

//If the result contains more than one h
DIM(STRING(P))►L;
IF L>1 THEN
  FOR J FROM 1 TO L DO
    D+irem(P,10)►D;
    iquo(P,10)►P;
  END;
ELSE
  E+P►E;
END;
END;
END;
0 S;

//We make a sum of digits in the odd positions
FOR I FROM 0 TO 6 DO
  S+L1(2*I+1) S;
END;

//We check if the resulting sum is a multiple of 10
IF irem(D+E+S,10)==0 THEN
  PRINT("The SIRET code is valid");
ELSE
  PRINT("The SIRET code is invalid");
END;
END;


```

The bottom screenshot shows the calculator screen with the title 'The last two digits of code SIRET' and the time '10:32'. It displays a text input field for 'N:' with the value '74' entered. Below the input field, it says 'Enter value for N' and has buttons for 'Edit', 'Cancel', and 'OK'.

The SIRET code is valid

ISBN Code

HP Prime



Each issued book is identified by a unique ISBN code (International Standard Book Number).

The ISBN code consists of 10 digits; the last digit is a check digit.

The code can be verified as follows: We add the first nine digits after multiplying each digit by its position number. The remainder of the weighted sum of all digits divided by 11 must be the check digit (the last digit).

Note: If the check digit is 10, it's written using an X.

Example: ISBN 2501086902 (Mushroom Guide).

1	2	3	4	5	6	7	8	9	10
O=	R=	M=	N=	M=	U=	S=	V=	M=	O=
2x1	5x2	0x3	1x4	0x5	8x6	6x7	9x8	0x9	
2	10 0	4	0	4	8	42 7	2	0	

$2+10+0+4+0+48+42+72+0 = 178 = 11 \times 16 + 2$ and 2 is therefore the last digit.

Step-by-step solution:

The user is asked to enter the ISBN code (10 digit code). The programme with explanatory notes:

```
EXPORT ISBN()
BEGIN
LOCAL I,R,S;
INPUT(N);
L1:={}; //We save each ISBN digit into a list
FOR I FROM 1 TO 10 DO
irem(N,10) R;
iquo(N,10) N;
CONCAT(L1,{R}) L1
END; //We change the order of digits in the list so they have
the same order as in ISBN
REVERSE(L1) L1;
//We add up multiples of the first 9 digits, which we got by multi-
plying each ISBN digit by their positions in the code
0 S;
FOR I FROM 1 TO 9 DO
S+L1(I)*I S;
END; //We check whether the remainder of the weighted sum
of all digits divided by 11 is the last digit
IF irem(S,11)==L1(10) THEN
PRINT(„The ISBN code is valid“);
ELSE
PRINT(„The ISBN code is invalid“);
END;
END;
```

Screenshots:


```
ISBN 10:52
EXPORT ISBN()
BEGIN
LOCAL I,R,S;
INPUT(N);
L1:={};
//Each digit ISBN is put into the list
FOR I FROM 1 TO 10 DO
irem(N,10) R;
iquo(N,10) N;
CONCAT(L1,{R}) L1
END;
//We change the order of numbers in a li
REVERSE(L1) L1;
```

```
ISBN 10:52
```

The ISBN code is valid

Algorithm: Matchsticks Game

HP Prime



This game is a game for two players.

We start the game with 10 matches. Players may alternately remove 1 to 3 matches.

The player who removes the last match is the loser.

Create a programme that allows you to play this game.

Step-by-step solution:

The programme with explanatory notes:

```
EXPORT MATCH()
BEGIN
LOCAL N,J,M,X,Y,I;
//We first determine the number of matches at 10 and the first
player is set to 1
10 N;
1 J;
//The players take turns, until there is only one match left
WHILE N>1 DO
INPUT(M,"Player "+J,"How many matches do you want to remove?");
IF M>3 THEN
MSGBOX(„Maximum of 3 matches!");
ELSE
IF J==1 THEN 2 J; ELSE 1 J;
END;
N-M N;
END;
MSGBOX(„There remains“+N+“ matches“);
END;
//A notification, which player lost
MSGBOX(„Player“+J+“ lost!");
END;
```

Screenshots:

The screenshot shows the HP Prime calculator screen with the title bar 'MATCH' and the time '11:04'. The program code is displayed on the screen, matching the code in the previous block. At the bottom, there are buttons for 'Cmds', 'Tplt', 'Page', 'Check', and a search icon.


```
MATCH                                11:04
EXPORT MATCH()
BEGIN
LOCAL N,J,M,X,Y,I;
//First we determine the number of match
10 N;
1 J;
//Until there is more than one match, th
WHILE N>1 DO
INPUT(M,"Player "+J,"How many matchsti
IF M>3 THEN
MSGBOX("Maximum of 3 matches!");
ELSE
IF J==1 THEN 2 J; ELSE 1 J; END;
N-M N;
END;
MSGBOX(„There remains“+N+“ matches“);
END;
//A notification, which player lost
MSGBOX(„Player“+J+“ lost!");
END;
```

Bonus: The programme can be improved by creating a graphical interface:

```
EXPORT MATCH()
BEGIN
LOCAL N,J,M,I;
10 N 1 J;
//We draw 10 rectangles that represent the matches
RECT_P;
TEXTOUT_P(„Player“+J,10,10,1,1);
FOR I FROM 1 TO 10 DO
RECT_P(10+20*I,30,25+20*I,50,3,RGB(186,0,0));
RECT_P(10+20*I,50,25+20*I,122,3,RGB(181,135,83));
END;
//We display matches for 5 seconds
WAIT(5);
//The players take turns, until there is only one match left
WHILE N>1 DO
INPUT(M,„Player“+J,„How many matches do you want to remove?“);
IF M>3 THEN
MSGBOX(„Maximum of 3 matches!“);
ELSE
IF J==1 THEN 2 J; ELSE 1 J;
END;
N-M N;
END;
//We display the remaining matches
RECT_P;
TEXTOUT_P(„Player“+J,10,10,1,1);
FOR I FROM 1 TO N DO
RECT_P(10+20*I,30,25+20*I,50,3,RGB(186,0,0));
RECT_P(10+20*I,50,25+20*I,122,3,RGB(181,135,83));
END;
WAIT(5);
END;
//A notification, which player lost
MSGBOX(„Player“+J+„ lost!“);
END;
```

Program Catalog		11:05
Statistics 1Var (App)	0KB	
MATCH	1KB	
ISBN	1KB	
SIRET	2KB	
MYSTERE	1KB	
ALGO2	<1KB	
V13	1KB	
SOUST	1KB	
BMI	1KB	
DTCC	<1KB	
		OK

Player 1




Player 2



Algorithm: Spaghetti Exercise



HP Prime



I have one spaghetti noodle. What is the probability that when the spaghetti is cut into three pieces, I can construct a triangle with these 3 pieces?

Step-by-step solution:

In this case, we verify the triangle inequality using three randomly obtained lengths of spaghetti.

We write the total length of the spaghetti noodle.

We can create the following algorithm:

Algorithm

Input

We enter the number of trials N

We enter the spaghetti length L

Initialisation

Initialisation of the variable R (number of successful solutions)

Processing:

For $I = 1$ to N

Cut the first piece of length X

(X = random number of type $0 < X < L$)

Cut the second piece of length Y

(Y = random number of type $0 < Y < L-X$)

Calculate the length of the third piece Z ($Z = L-X-Y$)

If the maximum of these three lengths is less than or equal to the sum of the two remaining lengths

Thus Increase R by 1

End „If“

End“For“

Output

Print R/N

The algorithm specifies the frequency of occurrence of triplets using verification of the triangle inequality.

The higher the number of trials, the more the frequency approaches sought probability.

Screenshots:

```
SPAG                                     12:08
BEGIN
LOCAL N,R,I,X,Y,Z,L,L1;
INPUT(N);
INPUT(L,"Length of spaghetti","L=");
O→R;
FOR I FROM 1 TO N DO
RANDOM(0,L)→X;
RANDOM(0,L-X)→Y;
L-X-Y→Z;
SORT({X,Y,Z})→L1;
IF L1(1)+L1(2)<=L1(3) THEN R+1; END;
END;
PRINT(R/N);
```

Cmds Tmpl Page Check

Length of spaghetti 12:10

L= 0

Enter value for L=



15

Cancel OK

.87

Algorithm: Bouncing Ball

HP Prime



We bounce a ball from the initial height of 300 cm.

We assume that with each bounce from the ground the ball loses 10% of its height (with each bounce the height is multiplied by 0.9).

Find out how many bounces from the ground are necessary for the height of the ball to be less than or equal to 10 cm.

Write an algorithm to solve this task.

Step-by-step solution:

We will gradually reduce the previous height by 10% of the original height until we reach the height of 10 cm.

In the algorithm, we use the loop „While“:

Algorithm

Initialisation

Number h initialised at the value of 300

Number n initialised at the value of 0

Processing:

While $h > 10$

Save $h \cdot 0.9$ in h

Save $n+1$ in n

End of the While loop

Output

Print n

Screenshots:


REBOUNDS 12:15

```
EXPORT REBOUNDS()  
BEGIN  
0►N;  
300►H;  
WHILE H>10 DO  
0.9*H►H;  
N+1►N;  
END;  
PRINT(N);  
END;
```

Cmds Tmplt Check

Weight: Gravitational Force

HP Prime



Duration: 1 hour

Objective: Reaction of a weight to gravitational force, an introduction to gravitational acceleration and familiarisation with the formula $F = m \cdot g$

Equipment: HP Prime, StreamSmart, dynamometer, scales



Task: Measuring weights of different objects of different masses using a force sensor (dynamometer).

Step-by-step solution:

First we set the force sensor to $\pm 10\text{N}$. We weigh the object first and then we hang it on the hook of the sensor. We start obtaining data in the DataStreamer application to measure the force in Newtons (N).

If we hang, for example, an HP Prime calculator (which weighs $224\text{ g} = 0.224\text{ kg}$), the sensor displays value -2.60 N .

We weigh other objects (such as another three new generation HP calculators) to get the following table:

Object	Weight (kg)	Force (N)
HP Prime	0.224	2.60
HP 39gII	0.249	2.61
HP 300S+	0.146	1.89
HP 10S+	0.122	1.61

Screenshots:


Canal 1 Force

Win 5.0s



x: 3.946s

y: -2.60N



We insert this table to the „Statistics 2Var“ application (the



button).

We add row 0 N for 0 kg.

We set the regression to a linear type (the \hat{Y} button).

Points are more or less aligned (the  button).

By pressing the \hat{Y} button we obtain characteristics of the straight line.

The passing of the straight line through the beginning can be written using the equation $y = 10x$. This means that $F = m \cdot g$, where F is the weight expressed in N, in relation to m expressing the weight in kg.

g is the slope of the straight line (approx. 10). This is the so called gravitational acceleration (which in fact has a value of about 9.81 N/kg).

Statistics 2Var Numeric View 12:28				
	C1	C2	C3	C4
1	.224	2.6		
2	.249	2.61		
3	.146	1.89		
4	.122	1.61		
5	0	0		
6				
7				
8				
9				
10				

Enter value or expression

Edit Ins Sort Size Make Stats

Statistics 2Var Symbolic View 12:32

✓ S1: C1 C2

Type1: Linear

Fit1: $M \cdot X + B$

S2:


Type2: Linear

Fit2: $M \cdot X + B$

S3:

Enter independent column

Edit ✓ C Fit• Show Eval



Statistics 2Var Symbolic View 12:35


✓ S1: C1 C2

Type1: Linear

Fit1: $10.7318312898 \cdot X + .1515426028$

Sound Waves

HP Prime



Duration: 1 hour

Objective: Characterise the type of a sinusoidal sound wave based on music played on a piano keyboard.

Equipment: HP Prime, StreamSmart, microphone, keyboard, loudspeaker



Task: Measure the period and calculate the frequency of the first seven notes played on a piano keyboard. Determine the type of the bass tone sound wave. You can use the Student Worksheet.

Step-by-step solution:


On the piano keyboard (if you have a computer with speakers you can use a virtual keyboard, which can be downloaded from the Web:

<http://www.bgfl.org/custom/resourcesftp/clientftp/ks2/music/piano/>) we will play the first 7 tones, and we record each tone using a microphone that is connected to the StreamSmart application.



When we press **Start**, the DataStreamer application will display a real-time audio recording done by a microphone.

Screenshots:



The picture opposite shows the first part of the recording of the first keyboard note.

The curve resembles a sinusoid.

The sinusoidal curve is more apparent after export and zoom.

The sound wave from the piano spreads through the air between the speaker and the microphone. The wave is mechanical, gradual and periodic because the curve represents periodic function of time: The undulation repeats itself in equal intervals of time.

The frequency and period are related and this relationship can be expressed by the equation: $f = 1/T$.

We measure the period (a time interval between two peaks of the sinusoid): 0.015 s, representing a frequency of about 67 Hz. It means „C“ of the first octave.

In the following tone we observe a shorter period (sine curve segments are shorter): 0.0135 s, i.e., frequency of 74 Hz, which corresponds to the „D“ note of the first octave.

Low tones have a low frequency, while the high notes have a high frequency.

Canal 1 Micro

Win 0.1s



x: 30.616s

y: .030



X: 4.85315475442 Y: .0304892966285 Menu

4.85-4.835 .015

1	
.015	66.6666666667



Canal 1 Micro

Win 0.1s





x: 1.787s

y: .050



The tone frequency in the next octave is twice as big (e.g. „C“ of the second octave has frequency $2 \times 67 = 134$ Hz).

The opposite picture shows a curve, which we obtained by pressing the last keyboard key. The period is very short (very short sections of the sinusoid). The tone is very high.



When we look at the bass tone (we select DOUBLE BASS on the virtual keyboard), we get a curve which doesn't have a sinusoidal shape.

It contains several overtones.

Sound waves: Student Worksheet

HP Prime

Fill in the lines and the table below:

The shape of curves observed in the StreamSmart application:

Definition of periodic gradual mechanical waves:


Keyboard key	Period (s)	Frequency (Hz)	Musical tone
C			
D			
E			
F			
G			
A			
H			

Establish a link between the frequency and tone height (high or low):

Compare the frequency of the same note in the same octave, and the frequency of the same note one octave higher:

Humidity

HP Prime




Objective: Perform a test measurement and familiarise yourself with the concepts of relative humidity and atmospheric pressure.

Equipment: HP Prime, StreamSmart, thermometer, hygrometer, barometer




Task:

- 1/ Perform simultaneous measurements of the air pressure, air temperature and ambient humidity.
- 2/ Interpret the air pressure based on the current weather.
- 3/ Analyse the table below showing humidex (heat index) values and give each colour an explanatory legend



Step-by-step solution:

1/ Use the three sensors (thermometer, barometer and hygrometer) which you connect to the StreamSmart application at the same time, the DataStreamer application will display results of all three measurements in real time.


2/ In our example, the measured values will be constant. Therefore it is not necessary to display curves. Using the  button, we will display only values measured by each sensor. Channel 3 shows that the ambient pressure is 101.61 kPa. This means that although it doesn't rain, the weather could be bad! Even at high atmospheric pressure it may be cloudy. Lower pressure encourages the rising of the air containing water droplets (ambient humidity is 68.32%, indicating the presence of water in the air) which gather and then fall as precipitation. Humidity is 68.32 %.

Atmospheric humidity is expressed as a percentage and represents the ratio between the amount of water in the air and the maximum amount of water that the air can contain. If we measure relative humidity of 50%, it means that the air contains half the amount of the maximum amount of water vapour that it can contain.

We measured ambient temperature at 21.42 °C.

3/ For relative humidity of 70% and a temperature of 21 °C, the field of the heat index table is blue and displays 25. The value of 25 corresponds to the felt temperature (in °C). Blue fields indicate an acceptable felt temperature. Green fields indicate some discomfort. Yellow fields indicate great discomfort when it is necessary to restrict strenuous physical activity. Orange fields indicate danger. Red fields indicate high risk (heatstroke) with a possible risk to life. The heat index can be interpreted as a measure of comfort.

Screenshots:



Application Library

Function Advanced Graphing Geometry Spreadsheet

Statistics 1Var Statistics 2Var Inference DataStreamer

Solve Linear Solver Quadratic Explorer Trig Explorer


Save Reset Sort Send Start

Canal 1 Humidity (%)	68.32
Canal 2 Temperature (°C)	21.42
Canal 3 Pressure (kPa)	101.61

Edit Config 1s Stop Stats

Blood Spots


HP Prime



When teaching practical and scientific methods, it is possible, in particular, to use examples of forensic criminology.

In this experiment we will analyse blood spots that were found at a crime scene, and the analysis will establish the link between the diameter of the spots and the height from which they fell.

Equipment: HP Prime, ink, blank sheets of paper, meter



Experiment:

1/ Let drops of ink fall from different heights onto large sheets of blank paper.



2/ For each height, calculate the mean droplet diameter after impact.

3/ Enter data into the HP Prime calculator and perform regression to establish the link between the height and the diameter of drops of blood.

4/ We found drops of blood with the mean value diameter of 19 mm, left by a killer who is bleeding from his head. How high is the killer?


Step-by-step solution:

Sample results of the experiment:

Height (cm)	The mean value of the diameter (mm)
10	6.8
50	13.4
100	17
150	17.9
200	20

We enter the data into the calculator using the „Statistics 2Var“ application.

Screenshots:




We can have a look at the graphical representation by pressing the  button and then the  button for the automatic scale selection.

The HP Prime calculator will directly perform regression (the picture opposite shows a quadratic regression).

By pressing the \mathbf{Y} button we set the type. We test each type of regression to find the most accurate one (the curve which passes closest to all points).

The logarithmic regression is the most suitable.



By pressing the \mathbf{Y} button again, we get the values of regression coefficients:

Equation: $f(x) = 4.32 \cdot \ln(x) - 3.25$

Now we can enter this expression to the „Function“ application and display the value corresponding to 19 mm to find the perpetrator's height in cm.

The killer is approx 1.73 m.

Statistics 2Var Symbolic View 14:41

✓ S1: C1 C2

Type1: Logarithmic

Fit1: $4.32242169224 \cdot \ln(X) - 3.24545$

S2:

Type2: Linear

Fit2: $M \cdot X + B$

Enter function

$4.32242169224 \cdot \ln(X) - 3.24545$

Edit ✓ C Fit• Show Eval

Function Symbolic View 14:53

✓ F1(X)= $4.32 \cdot \ln(X) - 3.25$

F2(X)=

F3(X)=

F4(X)=


F5(X)=

F6(X)=

F7(X)=

Enter function

Edit ✓ X Show Eval



Traces of Blood: Student Worksheet

HP Prime

Explain how the diameter of the drops of blood is changing depending on the height from which they fall:


Height of fall (cm)	Drop diameter 1 (mm)	Drop diameter 2 (mm)	Drop diameter 3 (mm)	Mean drop diameter (mm)

Specify the type of regression, which allows obtaining a representative curve of the mean diameter of drops of blood, depending on the height from which the drops fall:

Determine the height of the killer:

Box Plot

HP Prime




Box plot is a graphical representation which consists of:


- The „box“ part of the diagram whose upper and lower ends indicate the first and third quartiles,
- Two horizontal lines (whiskers) outside the box connecting the minimum value and the first quartile on one side, and the third quartile and maximum value on the other side,
- The vertical band inside the box is the median.

Create a box plot for the following statistical series:


78; 79; 77; 59; 57; 65; 65; 67; 68; 67; 59; 54; 64; 68; 72; 74; 72; 72; 76; 77; 76; 74; 77; 76

Step-by-step solution:

We start the „Statistics 1Var“ application by pressing the  button.

We insert the series values in the first column of the table which we can access by pressing the  button.

Screenshots:




Statistics 1Var Numeric View				
	D1	D2	D3	D4
1	78			
2	79			
3	77			
4	59			
5				
6				
7				
8				
9				
10				
57				

After the values have been inserted, we set the diagram to a box plot by pressing the **Y** button.

We set the values to D1 and Freq.


We display the box plot by pressing the **Plot Setup** button. By clicking directly on the elements of the box we obtain the statistical values:

- The minimum value at 54
- The first quartile at 65
- The median at 72
- The third quartile at 76
- The maximum value at 79



Bernoulli Schema: Binomial Distribution

HP Prime



Model exercise: A lottery drum contains 49 white balls and one gold ball. We win if we draw the gold ball.

1/ Calculate the probability that you draw a white ball, and the probability of winning.

2/ Prove that this is a Bernoulli trial and specify parameters.

3/ Perform 5 draws returning the lottery drum to its original state. Calculate the probability that you win 0 times, 1 time, 2 times, 3 times, 4 times and 5 times.

4/ Plot these probabilities using a bar chart.

Step-by-step solution:

1/ $P(\text{„draw a white ball“}) = 49/50 = 0.98$.

$P(\text{„draw a gold ball“}) = 1 - 0.98 = 0.02$.

2/ The experiment has two possible solutions: we either draw a white ball and lose, or draw the gold ball and win. Therefore this is the Bernoulli scheme, where the parameter n = number of draws, and the parameter p = probability of winning = 0.02.

3/ The HP Prime calculator is equipped with the command button ***binomial(n,k,p)*** which calculates the probability of k -multiple wins using the Bernoulli scheme with parameters (n, p) .

In our case, $n = 5$ draws.

By using this command button we obtain the sought probability.

4/ By pressing the **|** button we start the „Statistics 1Var“ application.

Screenshots:

49
50 .98

Sto ►

Stats - 2Var 14:48

49
50 .98

BINOMIAL(5,0,.02) .9039207968

BINOMIAL(5,1,.02) .092236816

BINOMIAL(5,2,.02) .003764768

BINOMIAL(5,3,.02) .000076832

BINOMIAL(5,4,.02) .000000784

BINOMIAL(5,5,.02) .0000000032

Sto ►

Application Library 15:03

Function Advanced Graphing Geometry Spreadsheet

Statistics 1Var Statistics 2Var Inference DataStreamr

Solve Linear Solver Quadratic Explorer Trig Explorer

Save Reset Sort Send Start

In column D1, we insert the 6 values for the pre-calculated probabilities.

Press the \bar{Y} button to select a chart type.

Press the  button to select the automatic measuring scale.

We only see two columns. The heights of the other 4 columns are very close to 0 (very low probability).

Statistics 1Var Numeric View 15:06				
	D1	D2	D3	D4
1	.903920796			
2	.092236816			
3	.003764768			
4	.000076832			
5	.000000784			
6	.000000001			
7				
8				
9				
10				

0.0000000032

Edit Ins Sort Size Make Stats

Statistics 1Var Symbolic View 15:08

☒ H1: D1

☒ Plot1:

Histogram
BoxWhisker
Normal Probability
Line
☒ Bar
Pareto

☐ H2:

☒ Plot2:

☐ H3:

☒ Plot3: Histogram

☐ H4:

Enter function

Edit ☒ Show Eval

Statistics 1Var Symbolic View 15:11

☒ H1: D1

☒ Plot1: Bar


☐ H2:

☒ Plot2: Histogram

☐ H3:


Views

1 Split Screen: Plot Detail
2 Autoscale



The Study of Function

HP Prime




Model exercise: A complex study of the irrational function f defined as:

$$f(x) = \sqrt{x^2 + 4x + 3}$$

- 1/ Determine the intervals of monotonicity of the function.
- 2/ Find the infinite branches.
- 3/ Find the asymptotes.

Step-by-step solution:

1/ We define the function, from the **K** window, by typing:



We can differentiate the f function by using the f' notation in the copy:




The HP Prime calculator displays the derived function.

Note: The first two factors are equal to $x + 2$.

Because the denominator is a square root (always a positive number), the sign of the derivative is the sign $x + 2$.

Attention must be paid to the prohibited interval $<-3; -1>$ in which the f function is not defined.

Screenshots:



We can carry out a test.

The HP Prime calculator allows the determination of the derivative sign. We look up the *solve* command button using the **CAS** button in the menu Solve > Solve.

By using **Shift** **5** **v**, we obtain signs 'equals', 'is greater' or 'is less'. The HP Prime calculator displays all solutions, therefore, the variations of the f function.

f is decreasing at $(-\infty; -3)$

f is undefined at $x = -3$; $x = -1$

f is increasing at $(-1; +\infty)$

The sign can be displayed using a graphical representation of the f function.

We run the „Function“ application, we enter the expression of the function using **Y** beside F1, and by using **Plot** **Setup** we display the chart.

2/ The graphical representation shows two infinite branches.

We find the limit of $f(x)/x$ as $x \rightarrow +\infty$ and $x \rightarrow -\infty$.

To find the limit symbol, press **F** in **K**.

The ∞ symbol can be obtained using **Shift** **8** **R**.

This will give us two final limits: 1 and -1. The branches are not parabolic, but controlled by linear oblique asymptotes with a slope of 1 in $+\infty$ and -1 in $-\infty$.

Function16:01

$f := (x) \rightarrow \sqrt{x^2 + 4x + 3}$
 $(x) \rightarrow \sqrt{x^2 + 4x + 3}$

$f'(x)$
 $\frac{1}{2} * (2x + 4) * \sqrt{x^2 + 4x + 3}^{-1}$

$\text{solve}(f'(x) > 0)$
 $\{x > -1\}$

$\text{solve}(f'(x) < 0)$
 $\{x < -3\}$

$\text{solve}(x^2 + 4x + 3 > 0)$
 $\{x < -3, x > -1\}$

Sto **simplif**

Function Symbolic View16:09

☒ F1(X) = $\sqrt{x^2 + 4x + 3}$

X: 1.492800592 F1(X): 3.34658871369 **Menu**

Function16:01

$\text{solve}(f'(x) > 0)$
 $\{x > -1\}$

$\text{solve}(f'(x) < 0)$
 $\{x < -3\}$

$\text{solve}(x^2 + 4x + 3 > 0)$
 $\{x < -3, x > -1\}$

$\lim_{x \rightarrow \infty} \left(\frac{f(x)}{x} \right)$
1

$\lim_{x \rightarrow -\infty} \left(\frac{f(x)}{x} \right)$
-1

Sto **simplif**

We specify the default coordinate y for equations of the asymptotes.

For this purpose, we calculate limit difference f with x in $+\infty$ and subsequently limit difference f for x with $-x$ in $-\infty$.


We get 2 and -2 as the default coordinates y .

Therefore:

The function has an oblique asymptote with equation $y = x + 2$ in $+\infty$, and oblique asymptote with equation $y = -x - 2$ in $-\infty$.


Oblique asymptotes can be constructed by entering these two equations beside F2 and F3 symbolic display in the „Function“ application.

The  display confirms our findings.



Lucas–Lehmer Primality Test

HP Prime



The Lucas-Lehmer primality test for Mersenne numbers is as follows:

Let $M_p = 2^p - 1$ be the Mersenne number to test. We define the sequence as follows: $s_0 = 4$; and $s_i = s_{i-1}^2 - 2$

The Mersenne number M_p is a prime number only if $s_{p-2} = 0$ (M_p model).

Write an algorithm that tests (using this method) the primality of any Mersenne number.

Step-by-step solution:

We will let the algorithm compute the successive terms of the sequence, and we test the essential and necessary conditions to achieve the desired position.

```
EXPORT LUCASLEHMER()
BEGIN
LOCAL M,P;
INPUT(P,"Enter an odd prime number");
2^P-1►M;
2 I;
4 U;
WHILE U≠0 AND I≤P DO
I+1 I;
U*U-2 U;
irem(U,M) U;
IF I==P THEN
IF irem(U,M)=0 THEN
PRINT(„Mersenne number 2^"+P+"-1="+"M+" is a prime number.");
ELSE
PRINT(„Mersenne number 2^"+P+"-1="+"M+" isn't a prime number.");
END;
END;
END;
END;
```

The determined prime number can be verified using the *isPrime*(command button. If the number isn't a prime number, 0 is displayed; if the number is a prime number, 1 is displayed.

Screenshots:

```
LUCASLEHMER 16:24
EXPORT LUCAS_LEHMER()
BEGIN
LOCAL M,P;
INPUT(P,"Enter an odd prime number");
2^P-1►M;
2►I;
4►U;
WHILE U≠0 AND I≤P DO
I+1►I;
U*U-2►U;
irem(U,M)►U;
IF I==P THEN
IF irem(U,M)=0 THEN
```

Cmds Tmpl Page Check


The Mersenne number $2^{11}-1=2047$ is not prime.
The Mersenne number $2^{19}-1=524287$ is first.
The Mersenne number $2^{23}-1=8388607$ is not prime.

Advanced Graphing 16:33	
$\text{isPrime}(2^{11}-1)$	0
$\text{isPrime}(2^{19}-1)$	1
$\text{isPrime}(2^{23}-1)$	0

Sto ►

Pascal's triangle

HP Prime



Create the table below using an algorithm.

The first column consists of 1, and every other value in the table is obtained by adding the two nearest elements: one which is located on the row above and one to the left of that one.

p=	0	1	2	3	4	5
n= 0	1					
1	1	1				
2	1	2	1			
3	1	3	3	1		
4	1	4	6	4	1	
5	1	5	10	10	5	1

Step-by-step solution:

The user is asked to enter the size of the required triangle (the n value).

The use of a matrix provides an easy and interesting solution in order to create Pascal's triangle. We create an $n \times n$ matrix and specify individual coefficients using the above addition method.

```
EXPORT PASCAL()
```

```
BEGIN
```

```
INPUT(N);
```

```
//We create an nxn matrix
```

```
MAKEMAT(0,N+1,N+1)M1;
```

```
FOR I FROM 1 TO N+1 DO
```

```
//We fill in the matrix so that we enter 1 in the first column and in the external diagonal
```

```
M1(I,1):=1;
```

```
M1(I,I):=1;
```

```
END;
```

```
FOR I FROM 3 TO N+1 DO
```

```
FOR J FROM 2 TO I-1 DO
```

```
M1(I,J):=M1(I-1,J-1)+M1(I-1,J);
```

```
END;
```

```
END;
```

```
//We display each line separately on the console display
```

```
PRINT;
```

```
FOR I FROM 1 TO N+1 DO
```

```
PRINT(M1(I));
```

```
END;
```

```
END;
```

Screenshots:

```
PASCAL 16:49
EXPORT PASCAL()
BEGIN
INPUT(N);
//Create a matrix nxn
MAKEMAT(0,N+1,N+1)M1;
FOR I FROM 1 TO N+1 DO
//Fill in the matrix so we put into the
M1(I,1):=1;
M1(I,I):=1;
END;
FOR I FROM 3 TO N+1 DO
FOR J FROM 2 TO I-1 DO
M1(I,J):=M1(I-1,J-1)+M1(I-1,J);
END;
END;
//Each line displayed separately on the
PRINT;
FOR I FROM 1 TO N+1 DO
PRINT(M1(I));
END;
END;
```

```
PASCAL 16:49
M1(I,1):=1,
END;
FOR I FROM 3 TO N+1 DO
FOR J FROM 2 TO I-1 DO
M1(I,J):=M1(I-1,J-1)+M1(I-1,J);
END;
END;
//Each line displayed separately on the
PRINT;
FOR I FROM 1 TO N+1 DO
PRINT(M1(I));
END;
END;
```

Now we are interested in the following equation:

$$X^2 - 5X - 6 = 0.$$

Here we see the result for $n = 6$.

The number, which is located at the intersection of the n row and the p column represents the coefficient of the p position in its expanded form $(x+y)^n$ (Newton's binomial theorem).

This number is called a binomial coefficient and is marked as $C(n, p)$. It is expressed by the following formula:

$$C(n, p) = \frac{n!}{(n-p)! \times p!}$$

The HP Prime calculator is equipped with the *COMB* command button which is used for direct calculation of these binomial coefficients.

And finally, one useful tip: For fast calculation of a Pascal's triangle row, we can ingeniously use Newton's binomial theorem: we will raise to a power the position of line 11 (on 4 rows) and 101 (on 4 rows) and 1001 (on 4 lines), etc.

```
[1,0,0,0,0,0,0]
[1,1,0,0,0,0,0]
[1,2,1,0,0,0,0]
[1,3,3,1,0,0,0]
[1,4,6,4,1,0,0]
[1,5,10,10,5,1,0]
[1,6,15,20,15,6,1]
[1,7,21,35,35,21,7,1]
```

Advanced Graphing 16:33

```
COMB(17,3) 680
17!
(17-3)!*3! 680
```

Sto ►


Advanced Graphing 16:33

```
11
11^2 121
11^3 1331
11^4 14641
101^5 10510100501
101^6 1061520150600
101^7 107213535211000
```

Sto ►

Sequences and the Sigma Symbol

HP Prime



Model exercise: The (u_n) sequence is given for a positive integer that is not zero:

$$u_n = \frac{1}{n!} \sum_{k=1}^n k(k-1)$$



- 1/ Calculate the first three terms of the sequence.
- 2/ Using a spreadsheet, display the first 30 terms of the sequence.
- 3/ The sequence (v_n) is given using the formula $v_n = u_{n+1} - u_n$. Display the sequence (v_n) using a chart.

Step-by-step solution:

1/ On the HP Prime calculator, we insert the sigma character by pressing the Σ button.

Now we can calculate the first three terms of the sequence.

Screenshots:







$N \sum_{K=1}^N$	N=1	0
$\frac{1}{N} * \sum_{K=1}^N (K*(K-1))$	N=2	1
$\frac{1}{N} * \sum_{K=1}^N (K*(K-1))$	N=3	$\frac{8}{3}$



2/ Using the  button, run the „Sequence“ application.

Insert the sequence expression (u_n).

Press the  button to get all the values for the following consecutive terms of the sequence (u_n).

Sequence Numeric View 17:01

N	U1		
22	161		
23	176		
24	1.916667E2		
25	208		
26	225		
27	2.426667E2		
28	261		
29	280		
30	2.996667E2		
31	320		
30			

Zoom Size Defn Column

3/ Press the \mathbf{Y} button to define the sequence (v_n). Press the **Eval** tab for evaluation and activation of the sequence.

Press the **Plot** button for a graphical representation.

Useful tip:

By pressing buttons $>$ and $<$, it is possible to move along the curve from term to term. Press $+$ or $-$ to zoom in or out.

Sequence Symbolic View 16:54

☒ $U1(N) = \frac{1}{N} * \sum_{K=1}^N (K * (K-1))$

☐ $U2(1) =$

☒ $U2(2) =$



☐ $U2(N) = U1(N+1) - U1(N)$

☐ $U3(1) =$

☒ $U3(2) =$


☐ $U3(N) =$

Edit ✓ N U1 Show Eval



Tangent to the Curve

HP Prime





Model exercise: Determine the equation of the tangent to the curve representing the function $y = -2x^5 + \tan x$ at point 7.
Construct the tangent.

Step-by-step solution:

Use the **|** button to access the application.

Beside F1(X) = enter the algebraic expression of the function using successive presses of the following buttons:





Press the **Plot Setup** button for a graphical representation of the function. **Menu** **Fcn** **>** and select „Tangent“.



Use **<** and **>** for the movement along the curve. The tangent is displayed at each point in dotted lines. Press „Go to“ to go to $x = 7$ and confirm by pressing the **Enter** button.

For a tangent equation we use the formula $y = f'(7)(x - 7) + f(7)$

Screenshots:




The derivative for a single point can be calculated using the *SLOPE* command button:



Integral

HP Prime



Level: The third (graduation) year of the science branch of French Lyceums

Objectives: verifying the hypothesis, writing and the use of an algorithm

Keywords: Algorithm, integral, surface area.

Task: We have function f defined on \mathbb{R} as $f(x) = (x + 2)e^{-x}$.


We mark the curve showing the function f in an orthogonal coordinate as D .

1/ Find the intervals of monotonicity of the f function on \mathbb{R} .

2/ We mark the domain between the axis of coordinates x , the curve C and straight lines $x = 0$ and $x = 1$ as D .

We first calculate an approximate surface area of the D domain so that we calculate a sum of areas of rectangles.

We divide the interval $[0; 1]$ into four intervals of the same length.



Create an algorithm to obtain an approximate value of the area of the D domain by adding up the areas of all four previous rectangles.

3/ Calculate the surface area rounded to 10^{-3} which you obtain by using this algorithm.

4/ Now we divide the interval $[0, 1]$ into N equal intervals.

Change the algorithm so the output displays the sum of areas of N identical rectangles.

Step-by-step solution:

1/ By reviewing the sign of the derivative of the function we determine the intervals of monotonicity: a non-decreasing on $(-\infty, -1)$ and non-increasing on $(-1, +\infty)$. In our examined interval $[0, 1]$, the function is decreasing.

On the HP Prime calculator, the expression for the derivative of the function may be obtained directly by the **K** button.




The syntax for the derivative is available using the **F** button.


We differentiate F4 (the expression entered using the **Y** button: see the first screenshot).

When inserting the calculation of the derivative, we use the formal variable x in lowercase.

The *solve*(command button provides zeros of the derivative: it is zero at -1 (which can be determined by dividing the $\exp(-x)$).

Screenshots:





A graphical representation of the function can be obtained by pressing the  button.


2/ In the programme, we will create the FOR loop to merge the areas of rectangles. The rectangle area is obtained by multiplying its width by $1/4$ (1 divided by the number of rectangles) and its length: $f(0)$ for the first rectangle, $f((k-1)/4)$ for the k-th rectangle.

A and B denote the limits of the examined interval.

We can expand the programme and construct rectangles using the command button *RECT_P*

3/ We carry out the algorithm that displays the approximate value of the surface area under the curve, rounded first up and then down. For $n = 50$ we obtain the values shown in the opposite picture (see question 4).

Now we can use the module/processor of the HP Prime calculator for a formal calculation of integrals. Press the  button and using the  button find the integral symbol.



```

MDR 17:58
BEGIN
INPUT(A);
INPUT(B);
INPUT(N);
(B-A)/N>H;
H*F4(A)>U;
H*F4(A+H)>V;
FOR I FROM 1 TO N-1 DO
U+H*F4(A+I*H)>U;
V+H*F4(A+(I+1)*H)>V;
END;
PRINT(U);
PRINT(V);

```

Cmds Tmplt Page Check

1.53745466032
1.51952742679

Function 14:45

$\frac{\square}{\square}$	\square^\square	$\square \square$	$\frac{\partial \square}{\partial \square}$	$\left\{ \begin{smallmatrix} \square & \text{if } \square \\ \square & \text{if } \square \end{smallmatrix} \right.$	$\left[\begin{smallmatrix} \square & \square \end{smallmatrix} \right]$
$\sqrt{\square}$	$\sqrt[\square]{\square}$	$\lim_{\square \rightarrow \square} \square$	$\int_{\square}^{\square} \square \square$	$[\square]$	$\left[\begin{smallmatrix} \square \\ \square \end{smallmatrix} \right]$
$ \square $	$\square + \frac{\square}{\square}$	$\sum_{\square=\square}^{\square} \square$	$\log_{\square} \square$	$\square^\square \square^\square$	

OK


Insert the integral using successive presses of the buttons below:



The HP Prime calculator displays the exact value of the integral.


By pressing the **CAS Settings** button, we obtain a rounded decimal value that lies between the two limits, which we calculated using the algorithm.

4/ Now it is only necessary to add INPUT(N); at the beginning of the programme the user is asked the number of rectangles in the division; and replace 4 rectangles with N rectangles.



Calculating Area between Two Curves

HP Prime



From a practical test of the natural science branch, June 2008.

Level: The third (graduation) year of the science branch of French Lyceums

Objectives: Functions, geometric interpretation of an integral of the difference of two functions.

Keywords: Functions, integrals, surface area.



Task: Determine the surface area between the curve representing the function $f(x) = \ln(x)$, and the curve representing the function $g(x) = (\ln(x))^2$ for x in the interval 1 to e .


Step-by-step solution:


Solving the task using a chart on the HP Prime calculator:
First open the “Function” application using the **|** button.

Enter the two functions f and g beside $F1(X) =$ and $F2(X) =$.

Screenshots:




Press the **Plot**  button to display the curves representing the functions (for greater clarity, the curves are in different colours).

Using the **Shift** **Plot**  combination, it is possible to set limits and the chart scale.

Since both functions are defined for $x > 0$, we set the minimum x coordinate to 0.


The task requires a calculation of the surface area for x 1 to e , and therefore we set the maximum x coordinate to 3.

We set the minimum of y-axis to -1 and the maximum of y-axis to 2.

By pressing the **Plot**  button, we will again display the curves and the surface area, which divides them by the desired interval.

This includes the examined interval since the two curves intersect at $x = 1$ and $x = e$.

We can verify this because the HP Prime calculator displays coordinates of intersections of both curves.



Function Plot Setup 14:55

X Rng: 0 3


Y Rng: -1 2

X Tick: 1


Y Tick: 1

Enter horizontal tick spacing


Edit Page 1/2



Press **Menu** to activate tools for the analysis and select **Fcn**
 > Intersection.
 Select „Intersection“...



Then F2(X).



We obtain the coordinates of the first intersection: (1; 0).





The HP Prime calculator allows colour coding and enables calculating the surface area between the two curves for the desired interval. For this purpose press **Menu** > **Fcn** and select „Signed area...“.

Place the cursor at $x = 1$ by pressing **Go To** and enter X as the value for x.

Confirm by **OK** and select $F_2(X)$. Then move the cursor to $x = e$ by pressing **Go To** and enter e as the value for x.

To enter the e symbol, press this button sequence: **Shift** **COS** and cancel the exponent.

The area between the two curves will be coloured in.

Confirm by pressing **OK**.

The calculator displays the value for the area at the bottom of the screen.

This value may be verified by calculating the integral of the difference $f - g$ between the limits 1 and e which geometrically corresponds to the surface area between the two curves in the interval $[1; e]$.

The relative position of the two curves can be obtained using the sign table below:

x	0	1	e	$+\infty$	
$\ln(x)$		-	0	+	
$(1 - \ln(x))$		+	+	0 -	
$\ln(x) \times (1 - \ln(x))$		-	0	+	0 -

The curve of function f is, in the examined interval, above the curve of function g .

In order to calculate the integral on the HP Prime calculator, press the **K** button to get into the window of the formal calculation.


Find the integral character using the **F** button.

Then enter the difference of the integrals and fill in limits and terms:

Using the **W** button, it is possible to directly display the approximate decimal value of the result.


We reached the same result that is displayed in the window displaying charts.

The integral can be calculated using the integration parts of the integral $\ln(x)$ and using the auxiliary function $G(x) = x(\ln(x)^2 - 2\ln(x) + 2)$.



Complex numbers

HP Prime



Let $Z1 = 3 + 2i$ and $Z2 = 1 - i$ be the two complex numbers.

1/ Calculate $Z1 + Z2$; $Z1.Z2$ and $Z1/Z2$.

2/ Calculate the modulus and argument of $Z1$.

Step-by-step solution:

The HP Prime calculator can store complex numbers in variables $Z0$ and $Z9$.

Writing of a complex number is performed using buttons



1/ Now we can perform direct calculations required for $Z1$ and $Z2$.

2/ In the calculation window, press ∇ to access the command buttons for complex numbers in the list.

The argument is calculated using the ARG command button. The modulus is calculated by using the ABS command button.

Useful tip: The $IM($ command button allows to display the imaginary part of a complex number and the $RE($ command button displays its real part.

Screenshots:

Function 14:42


$3+2*i \rightarrow Z1$	$3+2*i$
$1-i \rightarrow Z2$	$1-i$
Sto ▸	

Function 14:42

$3+2*i \rightarrow Z1$	$3+2*i$
$1-i \rightarrow Z2$	$1-i$
$Z1+Z2$	$4+i$
$Z1*Z2$	$5-i$
$\frac{Z1}{Z2}$	$\frac{1}{2} + \frac{5}{2}i$
$ Z1 $	3.60555127546398
$ARG(Z1)$.588002603548
Sto ▸	

Size of an Angle

HP Prime



- 1/ Determine the size of a directed angle using an algorithm.
- 2/ Test the algorithm using $123\pi/4$.

Step-by-step solution:

The size of the angle is within the interval $(-\pi; \pi)$.

Successive multiples of 2π will be added to or subtracted from the size of the given angle until the interval is reached.

In order to avoid an inaccurate calculation at the output, the best solution is to consider X as the fraction P/Q of the π factor and to process P and Q.

Begin

Input P

Input Q

Processing:

If $P/Q \geq 0$ Then

While $ABS(P/Q) > 1$

P will have a value of $P+2Q$

End While

Else

While $ABS(P/Q) > 1$

P will have a value of $P-2Q$

End While

End If

Output

Print $P/Q \cdot \pi$

The $P+2Q$ we acquired from the $P/Q \cdot \pi + 2\pi = (P+2Q) \cdot \pi / Q$

This is also true for $P-2Q$.

In order to avoid an inaccurate calculation at the output, we display the fraction / and the π as character strings.

The programme displays the exact size $123\pi/4$.

Screenshots:


We rewrite this algorithm to the HP Prime:

```

BEGIN
INPUT(P);
INPUT(Q);
IF P/Q>=0 THEN
WHILE ABS(P/Q)>1 DO
P-2*Q>P;
END;
ELSE
WHILE ABS(P/Q)>1 DO
P+2*Q>P;
END;
END;
PRINT(P+"/"+Q+"π");
  
```

The Square Root Approximation

HP Prime



Objectives: Calculate an approximate value of the square root using a recurrent sequence, write an algorithm.

Keywords: Sequence, recurrence, algorithm, square root.

Task: The following algorithm is given for the square root approximation of the X number:

- We choose the default number Y.
- We calculate a half-sum of Y and X/Y.
- We assign this result to Y and start again.

Run the algorithm.

Assign the algorithm to a sequence that has the tendency \sqrt{x} .

Step-by-step solution:

We can start by writing the algorithm in the generic form:

Variables:

X (for which we want the square root approximation)

Y starting number

N (number of iterations)

I (counter)

Inputs:

Request X

Request Y

Request N (the number of iterations to calculate)

Processing:

For I in the interval 1 to N do

Assign $(Y+X/Y)/2$ to Y

End For

Output:

Print Y

For X = 2, Y = 1 and N = 100 we obtain:

I.e. the correct approximation $\sqrt{2}$.

The algorithm will only calculate terms of the following sequence:

$$U_{n+1} = (U_n + X/U_n)/2 \text{ s } U_0 = Y$$

Screenshots:

EXPORT RACINE()
BEGIN

LOCAL I;
INPUT(X);
INPUT(Y);
INPUT(N);
FOR I FROM 1 TO N DO
(Y+X/Y)/2→Y;
END;
PRINT(Y);
END;




Cmnds Tmplt Check

1.41421356238



The sequence may be calculated on the HP Prime calculator by running the “Sequence” using the **|** button.

Insert the first term Y (in this example Y = 1) to U(1) and then insert the expression for the recurrent sequence to U1(N):

Set the representation to the network diagram mode by pressing the **Shift** and **Plot Setup** buttons. Set also the extreme values.



Press the  button for a graphical representation of the function.

We can zoom in on the part that interests us. Press  >  > Box.

Select a section of the window (which will represent the top left corner of the zoomed rectangle) and then move to the next point (which will represent the bottom right corner of the rectangle).


Useful tip: Press + or w to zoom in or out.

The sequence quickly converges to $\sqrt{2}$.

This can be proven by a query $U_{n+1} = f(U_n)$.


In this example $f(x) = 1/2(x+2/x)$. It's sufficient to solve the equation $f(l) = l$.

We obtain $2l = l+2/l$ or $l = 2/l$, therefore $l^2 = 2$. Therefore $l = \sqrt{2}$, because U_0 is positive and therefore all terms are positive. Note: We consider the first term $U_0 = Y$ as non-zero, because otherwise we would obtain a constant zero sequence.



Chinese Remainder Theorem

HP Prime



In this task, we want to determine all relative integers N of the type


$$\begin{cases} N \equiv 5 [13] \\ N \equiv 1 [17] \end{cases}.$$

Step-by-step solution:

The HP Prime calculator is equipped with a command button that allows instant solving of this task.


It is accessible using the  button and is called *ichinrem*.

We enter the following form:



We obtain the solution: all integers congruent to -203 modulo 221, i.e. congruent to 18 modulo 221.

Screenshots:




The following task will allow to prove the findings:

- a) Prove that 239 is the solution to this system.
- b) Let N be the relative integer as a solution to this system. Prove that N can be written in the following form $N = 1 + 17x = 5 + 13y$, where x and y are two relative integers to verify the relationship $17x - 13y = 4$.
- c) Solve the equation $17x - 13y = 4$, where x and y are relative integers.
- d) Conclude that there is a relative integer k of type $N = 18 + 221k$.

- e) Prove equality between $N \equiv 18[221]$ and $\begin{cases} N \equiv 5[13] \\ N \equiv 1[17] \end{cases}$.

The Confidence Interval

HP Prime



In a sample of 10,000 individuals of a given population, 7.5% of those are treated for elevated cholesterol. Calculate the interval in which we have 95% „certainty“ that we can find the exact number of people from the 10,000 which need to be treated.



Step-by-step solution:


The HP Prime calculator has the tools necessary to directly obtain the confidence interval sought.

Run the „Inference“ application using the APPS button.

Press the \mathbf{Y} button to adjust the methodology to „Confidence Interval“ and the type of Int Z: 1π

Screenshots:



Press the  button to enter the initial data of the task. n is the number of people.
 x is the number of people with high cholesterol:
 $0.075 \times 10\,000 = 750$.
 C is the confidence level: 0.95.

Press the button to display the interval sought:
 $\approx 0.0698 \times 10\,000 = 698$ persons
 to $\approx 0.0802 \times 10\,000 = 802$ persons

Inference Numeric View
15:51

x:

n:

C:


Results
15:53

X	
C	.95
Crit. Z	±1.95996398454
Lower	.0698376245227
Upper	.0801623754773

.0801623754773

Probability: The Normal (Gaussian) Probability Distribution

HP Prime



Model exercise: The temperature T in July evolves according to a normal distribution with an average (mean) value of 22°C and a normal standard deviation of 4°C .

- 1/ Calculate the probability that the temperature will be lower than 19°C .
- 2/ Calculate the probability that the temperature will be higher than 27°C .
- 3/ Calculate the probability that the temperature will be within the interval of 24°C to 30°C .
- 4/ Find the temperature t , for which $P(T \leq t) = 0.8$.
- 5/ Plot the probability density f for T .
- 6/ What is the $P(30 \leq T \leq 35)$ on the chart?

Step-by-step solution:

1/ On the HP Prime calculator, it is possible to calculate probabilities using the normal (Gaussian) distribution. For this purpose it is necessary to use the **normald_cdf** command button followed by both the parameters (the mean value $m = 22$ and the standard deviation $\sigma = 4$) for a normal distribution of parameters $N(m, \sigma^2) = N(22, 4^2)$, and the upper limit of 19°C .

To calculate $P(T \leq 19)$ we type:

normald_cdf(22,4,19)

The probability that the temperature in July will be lower than 19°C is ≈ 0.23 .

2/ $P(T \geq 27) = 1 - P(T \leq 27)$

Therefore, we type:

$1 - \text{normald_cdf}(22,4,27)$

The probability that the temperature in July will be higher than 27°C is ≈ 0.11 .

3/ $P(24 \leq T \leq 30) = P(T \leq 30) - P(T \leq 24)$.

Therefore, we type:

$\text{normald_cdf}(22,4,30) - \text{normald_cdf}(22,4,24)$

Screenshots:

NORMALD_CDF(22,4,19) .226627352377

Sto ► [] [] [] [] [] []

1-NORMALD_CDF(22,4,27) .105649773667

Sto ► [] [] [] [] [] []

NORMALD_CDF(22,4,30)-NORMALD_CDF(22,4,24)
.285787406778

Sto ► [] [] [] [] [] []

The probability that the temperature in July will be within the interval of 24°C to 30°C is ≈ 0.29 .

4/ We use the reverse command button **normald_icdf** (

Therefore, we type:

`normald_icdf(22,4,0.8)`

The probability $P(T \leq t) = 0.8$ for $t \approx 25.4^\circ\text{C}$.

5/ The probability density f of the T value can be calculated using the command button **normald** ($f(x) = \text{normald}(22,4,x)$)

In the „Function“ application, it is possible to enter

$F1(X) = \text{normald}(22,4,X)$

The window display is set using the **Shift** and **Plot Setup** buttons. We can configure the following settings to display the resulting diagram using the **Plot Setup** button.

6/ The probability $P(30 \leq T \leq 35)$ that the temperature will be 30°C to 35°C , is shown graphically by the area under the curve between the coordinates $x = 30$ and $x = 35$ (the surface area defined by the line equation $x = 30$, $x = 35$ and C_f).

NORMALD_ICDF(22,4,.8) 25.3664849343

Sto ►

Function Symbolic View 15:58

✓ F1(X)= **NORMALD(22,4,X)**

□ F2(X)=

Function Plot Setup 16:00

X Rng: 0 50


Y Rng: 0 .15

X Tick: 1

Y Tick: 1

Enter maximum vertical value

Edit Page 1/2



This situation can be displayed on the HP Prime calculator by pressing the following in the graphical display window: First we press **Menu** and then **Fcn**, we select „Signed area”, we press **Go To** to enter $x = 30$, then **OK** and again **Go To** to enter $x = 35$ and at the end **OK**.

The window can be set so as to better see the hatched zone

(**Shift** **Plot** **Setup**).

Function Plot Setup 16:10

X Rng: 29 36




Y Rng: 0 .02

X Tick: 1

Y Tick: 1


Enter maximum vertical value

Edit Page 1/2 OK



Random Walk

HP Prime



Objectives: Verifying the hypothesis, writing and the use of an algorithm.

Keywords: Algorithm, iteration, while loop.

Task: A pawn is placed on the starting square of the board:

| -pawn| -pawn| -pawn| -pawn| pawn | -pawn| -pawn| -pawn| -pawn|

A coin-toss determines the movement of the pawn: HEADS = the pawn will move to the right; TAILS = The pawn will move to the left. Each toss will get assigned a real number +1, if it is a HEAD; and -1, if it is a TAIL. The route consists of a sequence of n moves. The random variable S_n is the sum of the numbers 1 or -1, corresponding to n tosses along the route.

We are interested in the D_n event: „After n moves on the route, the pawn moved back to the starting square.“ The following algorithm allows the simulation of the route as the resultant of n moves; the user can choose the n value.

Variables:

N, S, A, I : real numbers

Processing:

Input N

S will have a value of 0

For I variations in the interval 1 to N

A will have a value of a random integer 0 or 1

If $A=1$

Thus S will have a value of $S+1$

Otherwise, S will have a value of $S-1$

End If

End For

Output:

Print S

End

1/ Use this algorithm on the calculator to perform multiple simulations where the pawn performs 1 or 2 moves.

2/ Adjust the above algorithm so you can perform a simulation of the pawn's several routes and calculate the frequency of the D_n event.

Step-by-step solution:

1/ We adjust the algorithm on the HP Prime calculator.

Input 1 or 2 for N to perform the algorithm. The programme will display a random variable S_n , which also corresponds to the position of the pawn (0 for the starting square, +1 for 1 square after the starting square, -2 for 2 squares before the starting square, etc.).

2/ The previous algorithm needs to be run several times to perform the simulation of several routes. We store each route in a list, or view in succession individual values S .

We run the algorithm below:

Variables:

X, I : integers

Processing:

Input X (number of simulated routes)
Let L be an empty list
For I variations in the interval 1 to X
Run the MARCHE (WALK) programme
Add the S as an element of the L list
End For

Output:

Print L
End

Screenshots:

```
BEGIN
LOCAL A,S;
INPUT(N);
0→S;
FOR I FROM 1 TO N DO
ROUND(RANDOM(0,1),0)→A;
IF A==1 THEN
S+1→S;
ELSE
S-1→S;
END;
END;
PRINT(S);
```

1
-2

```
EXPORT MARCHE()
BEGIN
LOCAL A,S,I,J;
INPUT(N);
INPUT(X);
{}→L1;
FOR I FROM 1 TO X DO
0→S;
FOR J FROM 1 TO N DO
ROUND(RANDOM(0,1),0)→A;
IF A==1 THEN
S+1→S;
ELSE
S-1→S;
END;
END;
CONCAT(L1,{S})→L1;
END;
PRINT(L1);
```


```
0→S;
FOR J FROM 1 TO N DO
ROUND(RANDOM(0,1),0)→A;
IF A==1 THEN
S+1→S;
ELSE
S-1→S;
END;
END;
CONCAT(L1,{S})→L1;
END;
PRINT(L1);
```

The programme will display a list of squares to which the pawn moved (in our example, the result of 8 simulations and 2 moves).

To determine the frequency of the D_n events, we divide the number 0 in the list by the number of elements in the list.

We will increment the counter to calculate the 0's.

```
{0,2,-2,-2,-2,2,0,2}
{0,0,0,0,2,0,0,0}
{0,-2,2,-2,0,2,2,-2}
{-2,0,0,2,2,2,2,-2}
```



MARCHE

18:44


```
EXPORT MARCHE()
BEGIN
LOCAL A,S,I,J,C;
INPUT(N);
INPUT(X);
{}►L1;
0►C;
FOR I FROM 1 TO X DO
0►S;
FOR J FROM 1 TO N DO
ROUND(RANDOM(0,1),0)►A;
IF A==1 THEN
C+1►C;
```

Cnds

Tmplt

Page ▼

Check



MARCHE

18:44

```
IF A==1 THEN
S+1►S;
ELSE
S-1►S;
END;
END;
CONCAT(L1,{S})►L1;
IF S==0 THEN
C+1►C;
END;
END;
PRINT(C/X);
END;
```

Cnds


Tmplt

Page ▼

Check


Graduation Task Solution

HP Prime



Sample graduation task of the science branch of French Lyceums, 2013 (Metropolitan France - June - Task 2).

In the following graph in a coordinate system with orthonormal basis $(\vec{o}; \vec{i}, \vec{j})$ we have a marked curve \mathcal{C} of function f that is defined and differentiable in the interval $(0, +\infty)$.



Are given by the following information:

- points A, B, C have coordinates $[1, 0], [1, 2], [0, 2]$
- curve \mathcal{C} intersects point B and line BC touches the curve \mathcal{C} at point B

Give real numbers a, b , so that for every real positive x is:

$$f(x) = \frac{a + b \ln x}{x}.$$

- Using the the graph to identify the values of $f(1)$ and $f'(1)$.
 - Show that for all real positive x is: $f'(x) = \frac{(b-a) + b \ln x}{x^2}$
 - Calculate values of a, b .
- Prove that for all real x from the interval $(0, +\infty)$ have $f'(x)$ the same sign as $\ln x$.
 - Specify the limit of a function f at 0 and at $+\infty$. We will be able to specify that for all real x is positive:

$$f(x) = \frac{2}{x} + 2 \frac{\ln x}{x}.$$
 - Investigate the intervals of monotonicity of f
- Prove that the equation $f(x) = 1$ have only one solution α in the interval $(0, 1)$.
 - In an analogous way, prove that there is only one real β in the interval $(1, +\infty)$, such that $f(\beta) = 1$.
Determine an integer of n so that the n is true $\alpha < \beta < n + 1$.

4. The following algorithm is given:

Variables: a, b, m are real numbers.
 Inputs: Assign a value 0 to a variable
 Assign a value 1 to b variable
 Processing: condition (until the condition ...) $b - a > 0.1$
 Assign the value of $m \frac{1}{2} (a + b)$
 If $f(m) < 1$, then assign a value to the variable m
 If not, assign a value to a variable b and end conditions.
 Output: List a .
 List b .

a. Allow the run of this algorithm and continuously replenish the following table:

	step 1	step 2	step 3	step 4	step 5
a	0				
b	1				
$b - a$					
m					

b. What are the values that we obtained from this algorithm?

c. Change the algorithm so that it shows both border frame with amplitude $\beta = 10^{-1}$

5. The purpose is now to prove that the curve γ OABC divides the rectangle into two equal areas.

a. To prove use the integral: $\int_{1/e}^1 f(x) dx = 1$.

b. Note that the expression $f(x)$ can be written as $\frac{2}{x} + 2\frac{1}{x} \ln x$, and complete the example.

Step-by-step solution:

1/ a/ The first question implies a „reading“ of the diagram: $f(1)$ is the representation of 1 using a function. It corresponds to the Y coordinate of point B: 2.

Therefore $f(1) = 2$.

$f'(1)$ corresponds to the slope of the tangent to the curve representing f in 1.

The tangent is horizontal, therefore, $f'(1) = 0$.

b/ We can find which derivative the HP Prime calculator will display by pressing the $\frac{d}{dx}$ button.

We find the derivative using the $\frac{d}{dx}$ button.

We insert the parameters a and b in lower-case letters

The result won't be displayed in the form of a single quotient.

To convert an expression to a common denominator, we press „simplify“ in the window.

We find the expression of the task.

To determine the detailed calculation of the derivative, we use the formula $(u/v)' = (u'v - uv')/v^2$.

c/ We apply both 2 equations determined in 1/ $f(1) = 2$ and $f'(1) = 0$. We obtain a system of two equations with two unknowns a and b. We can invoke and then use the solve command button of the HP Prime calculator to perform the solution.

Screenshots:

Spreadsheet 16:16

$\frac{\square}{\square}$	\square^\square	$\square \square$	$\frac{\partial \square}{\partial \square}$	$\left\{\begin{smallmatrix} \square \text{ if } \square \\ \square \text{ if } \square \end{smallmatrix}\right.$	$\left[\begin{smallmatrix} \square & \square \\ \square & \square \end{smallmatrix}\right]$
$\sqrt{\square}$	$\sqrt[\square]{\square}$	$\lim_{\square \rightarrow \square} \square$	$\int_{\square}^{\square} \square$	$[\square]$	$\left[\begin{smallmatrix} \square \\ \square \end{smallmatrix}\right]$
$ \square $	$\square + \frac{\square}{\square}$	$\sum_{\square=\square}^{\square} \square$	$\log_{\square} \square$	$\square^\square \square^\square$	

OK

Sequence 16:20

$$\frac{\partial \frac{a+b \cdot \text{LN}(x)}{x}}{\partial x} \quad \frac{\frac{b}{x} - \frac{a+b \cdot \text{LN}(x)}{x^2}}{x^2}$$
$$\text{simplify} \left\{ \frac{\frac{b}{x} - \frac{a+b \cdot \text{LN}(x)}{x^2}}{x^2} \right\} \quad \frac{-a-b \cdot \text{LN}(x)+b}{x^2}$$

Sto ► simplif

We also use the symbol $|$, which means that the expression is evaluated for a given value of the selected argument. Press the F button and the below symbol for the evaluation of expressions in $x = 1$.

$\frac{\square}{\square}$	\square^\square	$\square \square$	$\frac{\partial \square}{\partial \square}$	$\left\{ \begin{smallmatrix} \square & \text{if } \square \\ \square & \text{if } \square \end{smallmatrix} \right.$	$\left[\begin{smallmatrix} \square & \square \\ \square & \square \end{smallmatrix} \right]$
$\sqrt{\square}$	$\sqrt[\square]{\square}$	$\lim_{\square \rightarrow \square} \square$	$\int_{\square}^{\square} \square \partial \square$	$[\square]$	$\left[\begin{smallmatrix} \square \\ \square \end{smallmatrix} \right]$
$ \square $	$\square + \frac{\square}{\square}$	$\sum_{\square=\square}^{\square} \square$	$\log_{\square} \square$	$\square^\circ \square' \square''$	

We find that $a = 2$ and $b - a = 0$, therefore $a = b = 2$.

2/ a/ Therefore, the derivative f has the expression (if a and b is replaced by 2): $-\ln(x^2)/x^2$.

3/ Because x^2 is still a positive number, the derivative, therefore, has the same sign as $-\ln(x^2) = -2\ln(x)$, i.e. the same sign as $-\ln(x)$.

b/ We press the F button again to calculate limits.

We insert:

$\text{xt}\theta n$ Define D	>	Num ↳ Setup	>	1 Program Y
1 Program Y		9 ↳ $\infty, -\infty$ S		COS ACOS H
$\text{xt}\theta n$ Define D	>	() N		$\text{xt}\theta n$ Define D
				Enter \approx

For zero the HP prime calculator indicates + or - infinity.

Since f is defined solely and only for positive numbers, to specify to the right of 0, we write 0^1 (to specify to the left of 0, we write 0^{-1}).

Therefore, we find $-\infty$ as the limit in 0.

We use the other possible expression of the function f and the limit operation to verify this:

The limit f at infinity is 0.

The ∞ symbol can be obtained using the Shift $\{ \}$ 8 R buttons.

Sequence 16:20

$$\frac{a+b \cdot \ln(x)}{x} \Big|_{x=1} \quad a$$

$$\frac{\partial}{\partial x} \frac{a+b \cdot \ln(x)}{x} \Big|_{x=1} \quad b-a$$

Sto ► simplif

Sequence 16:20

$$\frac{\partial}{\partial x} \frac{2+2 \cdot \ln(x)}{x} \quad \frac{\frac{2}{x}}{x} - \frac{2+2 \cdot \ln(x)}{x^2}$$

$$\text{simplify(Ans)} \quad \frac{-\ln(x^2)}{x^2}$$

Sto ► simplif


Sequence 16:23

$\frac{\square}{\square}$	\square^\square	$\square \square$	$\frac{\partial \square}{\partial \square}$	$\left\{ \begin{smallmatrix} \square & \text{if } \square \\ \square & \text{if } \square \end{smallmatrix} \right.$	$\left[\begin{smallmatrix} \square & \square \\ \square & \square \end{smallmatrix} \right]$
$\sqrt{\square}$	$\sqrt[\square]{\square}$	$\lim_{\square \rightarrow \square} \square$	$\int_{\square}^{\square} \square \partial \square$	$[\square]$	$\left[\begin{smallmatrix} \square \\ \square \end{smallmatrix} \right]$
$ \square $	$\square + \frac{\square}{\square}$	$\sum_{\square=\square}^{\square} \square$	$\log_{\square} \square$	$\square^\circ \square' \square''$	

OK

c/ Now we can graphically display the f function and determine its variations.

Access to the „Function „ application can be obtained by pressing the **I** button. We insert an algebraic expression of the function using the **Y** button.


The diagram can be displayed by pressing the **Plot**  button.

The scale is set automatically using the **View**  button.

Then we can slightly reduce the extremes of y coordinates

using the **Shift** **Plot**  buttons.

We take $y_{\min} = -2$ and $y_{\max} = 3$.



The image shows three screenshots of a calculator interface:

- Sequence Screen:** Displays the limit calculation of the function $f(x) = \frac{2+2\ln(x)}{x}$ as x approaches 0 from the right, 0, and infinity. The results are $-\infty$, $\pm\infty$, and 0 respectively.
- Function Symbolic View:** Shows the function $F1(X) = \frac{2+2\ln(X)}{X}$ entered into the calculator's function editor.
- Graph Screen:** Displays the graph of the function $f(x) = \frac{2+2\ln(x)}{x}$ on a coordinate plane. A menu titled "Views" is open, showing options: 1 Split Screen: Plot Detail, 2 Split Screen: Plot Table, 3 Autoscale, 4 Decimal, 5 Integer, and 6 Trig.

The f function is increasing on $(0; 1)$ and decreasing on $(1; +\infty)$. Based on the review of the derivative sign, we can build the following variation table:

x	0	1	$+\infty$
$-\ln x$	+	0	-
$f(x)$	$-\infty$	2	0

We find that the graphical representation given in the task corresponds to the graphic expression of f .

3/ a/ Since the function f is strictly increasing continuously on $(0; 1)$ and because 1 is located in the interval between the limits f in 0 and $f(1)$, Bolzano's theorem is the only solution for $f(x) = 1$.

b/ We display the table of values of the function f using the




button. f has a value of 1 in the interval 5 and 6.

Useful tip:

We press and select 2: „Split Screen: Plot Table“ to display simultaneously (in a split window) the window with a chart and the table with values.


Function Numeric View			16:31
X	F1		
0	undefined		
1	2		
2	1.69314718056		
3	1.39907485911		
4	1.19314718056		
5	1.04377516497		
6	.930586489743		
7	.841688614017		
8	.76986038542		
9	.71049435052		





Function Numeric View			16:31
X	F1		
0	undefined		
1	2		
2	1.69314718056		
3	1.39907485911		
4	1.19314718056		
5	1.04377516497		
6	.930586489743		
7	.841688614017		
8	.76986038542		
9	.71049435052		

.930586489743

Zoom Size Defn Column





4/ a/ On the HP Prime calculator, we programme the algorithm in the programme editor by pressing the   buttons.

```
EXPORT BACS ()
BEGIN
LOCAL A,B,M;
0 A;
1 B;
WHILE B-A>0.1 DO
(A+B)/2 M;
IF F1(M)<1 THEN
M A;
ELSE
M B;
END;
END;
PRINT(A);
PRINT(B);
END;
```

If we want to display the individual required stages in the table, it is necessary to change the algorithm so that the PRINT tags are placed in the while loop and we add imaging b-a and m. We can also display the stage number so that we create a counter:

```
EXPORT BACS ()
BEGIN
LOCAL A,B,M,C;
0 A;
1 B;
1 C;
PRINT(„Stage1“);
PRINT(A);
PRINT(B);
PRINT(B-A);
C+1 C;
WHILE B-A>0.1 DO
(A+B)/2M;
IF F1(M)<1 THEN
M A;
ELSE
M B;
END;
```

```
PRINT(„Stage“+C);
PRINT(A);
PRINT(B);
PRINT(B-A);
PRINT(M);
C+1 C; END; END;
```

The programme then displays all the stages. Now it only remains to add the table:

	step 1	step 2	step 3	step 4	step 5
<i>a</i>	0	0	0,25	0,375	0,4375
<i>b</i>	1	0,5	0,5	0,5	0,5
<i>b - a</i>	1	0,5	0,25	0,125	0,0625
<i>m</i>		0,5	0,25	0,375	0,4375

b/ The proposed algorithm will display, in parallel, both limits for α with an accuracy of 0.1.

c/ Again we come out of the initial algorithm and replace only the starting values A and B 5 and 6 instead of 0 and 1. In the test we also substitute „If“ $F1(M) < 1$ for $F1(M) > 1$, because the f function is decreasing on $(1; +\infty)$:

```
EXPORT BACS ()
BEGIN
LOCAL A,B,M;
5 A;
6 B;
WHILE B-A>0.1 DO
(A+B)/2 M;
IF F1(M)>1 THEN
M A;
ELSE
M B;
END;
END;
PRINT(A);
PRINT(B);
END;
```

5/ a/ We start by calculating the area of the OABC rectangle whose length is 2 and width 1. Its area therefore consists of 2 area units.

To find the lower limit of the integral that will calculate the area under the curve of the function, it is necessary to solve $f(x) = 0$.

```
Etape 1
0
1
1
Etape 2
0
.5
.5
.5
Etape 3
.25
.5
.25
.25
Etape 4
.375
.5
.125
.375
Etape 5
.4375
.5
.0625
.4375
```

We can use the *solve* command button in the window of formal calculations (the **K** button).

The HP Prime finds a solution: $x = 1/e$.


The solution can be found very easily „manually“.

In the interval $(1/e; 1)$, the f function is positive and continuous, and therefore the area defined by the curve of the f function, the axis of the coordinates x and line equations $x = 1/e$ and $x = 1$ is given by the integral:

$$\int_{\frac{1}{e}}^1 f(x) dx$$

It is necessary to prove that it is equal to half of 2 (the rectangle area), i.e. 1.

To calculate the integral character select the „integral“ using the **F** button and enter:



The HP Prime calculator displays the correct result 1.

We can calculate the integral with change of variables, so that we use the expression offered for f and enter $u = \ln$. We find the expression in the form $f = 2u' + 2u'u$ original $F = 2u + u^2$.

I. e. $F(x) = 2\ln(x) + \ln(x)^2$.

And $F(1) - F(1/e) = 0 - 2\ln(1/e) - \ln(1/e)^2 = 2 - 1 = 1$.

Function 14:42

$$\text{solve}\left(\frac{2}{x} + \frac{2 \cdot \ln(x)}{x} = 0, x\right) \quad \left[\frac{1}{\text{EXP}(2)} \cdot \text{EXP}\left(\frac{2 \cdot 1}{2}\right)\right]$$

$$\text{simplify}\left(\left[\frac{1}{\text{EXP}(2)} \cdot \text{EXP}\left(\frac{2 \cdot 1}{2}\right)\right]\right) \quad \left[\frac{1}{\text{EXP}(1)}\right]$$

$$\text{solve}\left(\left[\frac{2}{x} + \frac{2 \cdot \ln(x)}{x}\right] = 0, x\right)$$

Sto ► simplif

Function 14:42



$$\text{solve}\left(\left[\frac{2}{x} + \frac{2 \cdot \ln(x)}{x}\right] = 0, x\right)$$

OK

Function 14:42

$$\int_{\frac{1}{\text{EXP}(1)}}^1 \frac{2 + 2 \cdot \ln(x)}{x} dx$$

Sto ► simplif